



# SDS

# Safety Data Sheet

## Simoniz Graffiti & Stain Remover S3346012

SDS Number: 2750-AP2750

Revision Date: 3/31/2015

Page 1 of 7

### 1 PRODUCT AND COMPANY IDENTIFICATION

#### Manufacturer

Simoniz, USA  
201 Boston Turnpike  
Bolton, CT 06043  
Tel: 800-227-5536


Emergency Phone: CHEM-TEL: (800) 255-3924

Product Name: Simoniz Graffiti & Stain Remover S3346012  
Revision Date: 3/31/2015  
Version: 1  
SDS Number: 2750-AP2750  
Common Name: Aerosol Graffiti Remover  
Product Use: Graffiti Remover

### 2 HAZARDS IDENTIFICATION

Route of Entry: Eyes - Yes Ingestion - Unlikely Inhalation - Yes Skin - Yes


NFPA: Health = 1, Fire = 4, Reactivity = 0  
HMIS III: H1/F4/PH0



HMIS III	
HEALTH	1
FLAMMABILITY	4
PHYSICAL HAZARDS	0
PERSONAL PROTECTION	

GHS Signal Word: DANGER

GHS Hazard Pictograms:



GHS Classifications:  
Physical, Flammable Aerosols, 1  
Health, Acute toxicity, 5 Oral  
Health, Skin corrosion/irritation, 2  
Health, Serious Eye Damage/Eye Irritation, 2 A  
Health, Acute toxicity, 5 Inhalation



# SDS

# Safety Data Sheet

## Simoniz Graffiti & Stain Remover S3346012

SDS Number: 2750-AP2750

Revision Date: 3/31/2015

Page 2 of 7

Health, Specific target organ toxicity - Single exposure, 3

### GHS Phrases:

- H222 - Extremely flammable aerosol
- H229 - Pressurized container: may burst if heated
- H303 - May be harmful if swallowed
- H315 - Causes skin irritation
- H319 - Causes serious eye irritation
- H333 - May be harmful if inhaled
- H336 - May cause drowsiness or dizziness

### GHS Precautionary Statements:

- P102 - Keep out of reach of children.
- P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking
- P251 - Pressurized container: Do not pierce or burn, even after use.
- P270 - Do not eat, drink or smoke when using this product.
- P280 - Wear protective gloves/protective clothing/eye protection/face protection.
- P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P302+352 - IF ON SKIN: Wash with soap and water.
- P304+341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do.

### Continue rinsing.

- P333+313 - If skin irritation or a rash occurs: Get medical advice/attention.
- P363 - Wash contaminated clothing before reuse.
- P410+412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

## 3

### COMPOSITION/INFORMATION ON INGREDIENTS

#### Ingredients:

Cas #	Percentage	Chemical Name
67-64-1	40-70%	2-Propanone
108-88-3	20-40%	Toluene
78-93-3	5-10%	2-Butanone
124-38-9	5-10%	Carbon dioxide

## 4

### FIRST AID MEASURES

- Inhalation:** Move to fresh air and keep at rest. Call a physician if symptoms develop and persist.
- Skin Contact:** Wash with soap and water. If skin irritation persists, call a physician immediately. Remove contaminated clothing and wash before reuse.
- Eye Contact:** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
- Ingestion:** Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low to avoid getting into the lungs. Call a poison control center if large amounts are ingested. Never give anything by mouth to an unconscious person.



# SDS

# Safety Data Sheet

## Simoniz Graffiti & Stain Remover S3346012

SDS Number: 2750-AP2750

Revision Date: 3/31/2015

Page 3 of 7

### 5 FIRE FIGHTING MEASURES

**Flammability:** Flammable  
**Flash Point:** Not established  
**Autoignition Temp:** Not established  
**LEL:** Not established  
**UEL:** Not established

**Means of Extinction:**

Suitable Extinguishing Media: Powder, foam, carbon dioxide.

Unsuitable Extinguishing Media: Not available.

Products of Combustion: May include, and are not limited to: oxides of carbon.

**Explosion Data:**

Sensitivity to Mechanical Impact: Not available.

Sensitivity to Static Discharge: Not available.

Protection of Firefighters: Containers may explode when heated. Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

### 6 ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. Ruptured cylinders may rocket.

**Environmental Precautions:** Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). This material is a water pollutant. Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.

**Methods for Containment:** Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

**Methods for Clean-Up:** Vacuum or sweep material and place in a disposal container. Allow gas to dissipate harmlessly into the atmosphere.

### 7 HANDLING AND STORAGE

**Handling Precautions:** HARMFUL IF INHALED OR SWALLOWED. VAPOR HARMFUL. EYE, SKIN AND RESPIRATORY IRRITANT. Contents under pressure. Keep out of reach of children. Read label cautions carefully. Follow label directions to avoid injury. Use with adequate ventilation. Do not use in confined areas. Keep away from heat, sparks or open flames. Wash hands thoroughly after each use. Do not smoke while using. Avoid contact with skin and eyes. Avoid breathing vapor or mist. Do not puncture container.

**Storage Requirements:** Keep out of reach of children. Do not store near heat, sparks, or open flames. Do not expose to temperatures above 120°F as container may vent, rupture or burst. Do not puncture or incinerate container. Store in accordance with NFPA 30B for LEVEL 3 AEROSOLS.



# SDS

# Safety Data Sheet

## Simoniz Graffiti & Stain Remover S3346012

SDS Number: 2750-AP2750

Revision Date: 3/31/2015

Page 4 of 7

8

### EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:** Use ventilation adequate to keep exposures below recommended exposure limits.

**Personal Protective Equip:** Eyes Protection: Wear eye/face protection.  
 Hand Protection: Wear suitable gloves.  
 Skin and Body Protection: Wear suitable protective clothing.  
 Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment.

#### EXPOSURE LIMITS

INGREDIENTS	OSHA-PEL	ACGIH-TLV	OTHER
2-Propanone	1000 ppm	500 ppm (750 ppm STEL)	
Toluene	200 ppm	20 ppm	
2-Butanone	200 ppm	200 ppm	
Carbon dioxide	5000 ppm	5000 ppm (30,000 ppm STEL)	

9

### PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	clear colorless liquid	<b>Odor:</b>	ketone
<b>Physical State:</b>	Mixture packaged in pressurized aerosol sp	<b>Solubility:</b>	Partially soluble in water
<b>Spec Grav./Density:</b>	0.82 - 0.84 g/ml	<b>Percent Volatile:</b>	100%
<b>Viscosity:</b>	< 5 cSt	<b>Heat Value:</b>	Not established
<b>Boiling Point:</b>	Not established	<b>Flash Point:</b>	Not established
<b>Flammability:</b>	Flammable	<b>VOC:</b>	38.5%
<b>Vapor Pressure:</b>	Not established	<b>Auto-Ignition Temp:</b>	Not established
<b>pH:</b>	Not applicable	<b>UFL/LFL:</b>	Not established
<b>Evap. Rate:</b>	>1.00 (BuAc=1)		
<b>Decomp Temp:</b>	Not established		

10

### STABILITY AND REACTIVITY

**Stability:** Product is stable under normal conditions.

**Conditions to Avoid:** heat, sparks, open flames and temperatures above 120°F

**Materials to Avoid:** Strong Acids; Strong Bases; Strong Oxidizing Agents. Reducing Agents

**Hazardous Decomposition:** CO, CO<sub>2</sub>, and hydrocarbons.

**Hazardous Polymerization:** Will not occur.

11

### TOXICOLOGICAL INFORMATION

Not established



# SDS

# Safety Data Sheet

## Simoniz Graffiti & Stain Remover S3346012

SDS Number: 2750-AP2750

Revision Date: 3/31/2015

Page 5 of 7

### 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** May cause long-term adverse effects in the aquatic environment

**Persistence / Degradability:** Not available.

**Bioaccumulation / Accumulation:** Not available.

**Mobility in Environment:** Not available.

### 13 DISPOSAL CONSIDERATIONS

Do not allow into drains or water sources. Waste and empty containers should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act. Using information provided in this data sheet advice should be obtained from the Waste Regulation Authority, weather special waste regulations apply.

### 14 TRANSPORT INFORMATION

DOT Class: Flammable Gas (2.1) #2.1

UN #: UN 1950, Class: 2, Proper Shipping Name: Aerosols, flammable

#### DOT

UN Number	UN1950
UN proper shipping name	Aerosols, flammable
Transport Hazard Class(es)	
Class	2.1
Subsidiary risk	---
Label(s)	2.1
Packing group	Not applicable

#### IATA

UN Number	UN1950
UN proper shipping name	Aerosols, flammable
Transport Hazard Class(es)	
Class	2.1
Subsidiary risk	---
Label(s)	2.1
Packing group	Not applicable
Environmental hazards	No
Other information	
Passenger and cargo aircraft	Allowed
Cargo aircraft only	Allowed

#### IMDG

UN Number	UN1950
UN proper shipping name	Aerosols, flammable
Transport Hazard Class(es)	
Class	2.1
Subsidiary risk	---
Label(s)	2.1
Packing group	Not applicable



# SDS

# Safety Data Sheet

## Simoniz Graffiti & Stain Remover S3346012

SDS Number: 2750-AP2750

Revision Date: 3/31/2015

Page 6 of 7

Environmental hazards No

15

### REGULATORY INFORMATION

#### COMPONENT / (CAS/PERC) / CODES

\*2-Propanone (67641 40-70%) CERCLA, HAP, MASS, NJHS, OSHAWAC, PA, SARA313, TOXICRCRA, TSCA, TXAIR, TXHWL

\*Toluene (108883 20-40%) CERCLA, CSWHS, EPCRAWPC, HAP, MASS, NJHS, OSHAWAC, PA, PRIPOL, PROP65, SARA313, TOXICPOL, TOXICRCRA, TSCA, TXAIR, TXHWL

\*2-Butanone (78933 5-10%) CERCLA, HAP, HWRCRA, MASS, NJHS, OSHAWAC, PA, SARA313, TOXICRCRA, TSCA, TXAIR, TXHWL

\*Carbon dioxide (124389 5-10%) MASS, OSHAWAC, PA, TSCA, TXAIR

#### REGULATORY KEY DESCRIPTIONS

CERCLA = Superfund clean up substance  
HAP = Hazardous Air Pollutants  
MASS = MA Massachusetts Hazardous Substances List  
NJHS = NJ Right-to-Know Hazardous Substances  
OSHAWAC = OSHA Workplace Air Contaminants  
PA = PA Right-To-Know List of Hazardous Substances  
SARA313 = SARA 313 Title III Toxic Chemicals  
TOXICRCRA = RCRA Toxic Hazardous Wastes (U-List)  
TSCA = Toxic Substances Control Act  
TXAIR = TX Air Contaminants with Health Effects Screening Level  
TXHWL = TX Hazardous Waste List

CSWHS = Clean Water Act Hazardous substances  
EPCRAWPC = EPCRA Water Priority Chemicals  
PRIPOL = Clean Water Act Priority Pollutants  
PROP65 = CA Prop 65  
TOXICPOL = Clean Water Act Toxic Pollutants

HWRCRA = RCRA Hazardous Wastes

#### **Proposition 65** - California Safe Drinking Water and Toxic Enforcement Act of 1986

This product is known to contain chemical(s) currently listed as carcinogens or reproductive toxins under California Proposition 65.



# SDS

# Safety Data Sheet

---

## Simoniz Graffiti & Stain Remover S3346012

SDS Number: 2750-AP2750

Revision Date: 3/31/2015

Page 7 of 7

**16**

### OTHER INFORMATION

The information provided herein was believed to be accurate at the time of preparation and prepared from a compilation of sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of this product, and to determine the suitability of the product for its intended use.

**Publication Date: 3/31/15**

**Revision No.: 1**