# **RTU Interior Sanitizer Disinfectant**

Ready To Use One Step Cleaner - Fungicide - Mildewstat - Virucide" – Deodorizer, Disinfectant Cleaner. This product is extremely versatile and is suitable for use as One step sanitizer for fabric and soft surfaces in 5 minutes in cars homes, gyms etc. Contains no phosphates, cleans, disinfects and deodorizes in one labor saving step. Inhibits the growth of mold and mildew. Eliminates Odors, Effective against Norovirus, Escherichia coli (E. coli) and Staphylococcus aureus (Staph) and more. Safe for food contact surfaces most surfaces not harmed by water.



### Where To Use

Car Interiors Homes, Restaurants, Hospitals, Institutional and Industrial Use Nursing Homes Locker Rooms Health Clubs Federally Inspected Meat & Poultry Plants Laundries Athletic Equipment Schools Cafeterias Convenient Stores Hotels/motels Transportation Day Care Fabric Beds Bed Frames Blankets Shower Curtains

#### **Dilution** As is

#### DIRECTIONS:

**AUTOMOTIVE USES:** This product will effectively sanitize and neutralize damp musty odors. Spray or apply onto seats, carpets, headliner and ashtray or into trunk and all vents to eliminate odors from tobacco, food, beverage spills and musty carpet. For sprayer applications, use a coarse spray device. Wipe up excess liquid with a towel and allow surface to air dry

**Hard Surface-GLASS CLEANING/DEODORIZING DIRECTIONS**: Apply this product to clean and deodorize counter tops, walls, bathrooms, windows, mirrors, and other glass and hard surfaces. Use a coarse spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Rub with sponge or cloth. Change cloth, sponge or towels frequently to avoid redeposition of soil.

**To Sanitize Soft Surfaces:** Hold bottle 6"-8" from surface and spray until fabric is wet. Fabric must remain wet for 5 minutes. Allow fabric to air dry, reapply as necessary. Heavily soiled areas must be cleaned prior to sanitizing.

**FOOD CONTACT SURFACE SANITIZING DIRECTIONS:** Remove gross food particles and soil by a preflush, or pre-scrape and when necessary, pre-soak treatment. Thoroughly wash with a good detergent or compatible cleaner followed by a potable water rinse prior to application of the sanitizing solution. Apply this product as is. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Rub with brush, cloth, or sponge. Surfaces must remain wet for at least 1 minute. Wipe with clean cloth, sponge or paper towel Allow surfaces to air dry before contact with food or liquid (NO POTABLE WATER RINSE IS ALLOWED



## **Technical Specifications**

COLOR: ......Transparent FORM: .....Liquid SCENT: .....Disinfectant pH: ......10.5-11.5 FLASH POINT:..None VISCOSITY......Water Thin TYPE: .....RTU Cleaner/Disinfectant 201 Boston Turnpike, Bolton, CT 06043-7203 800-227-5536 • 860-646-0172 • FAX 860-645-6070

www.simoniz.com



# Simoniz **RTU Interior Car Surface Sanitizer, Disinfectant & Deodorant**

As a disinfectant, Simoniz RTU is effective against:

#### [Bacteria:]

Pseudomonas aeruginosa [Pseudomonas] Salmonella enterica [Salmonella] Staphylococcus aureus [Staph] Acinetobacter baumannii [Acinetobacter] Burkholderia cepacia Campylobacter jejuni [Campylobacter] Corynebacterium ammoniagenes Enterobacter aerogenes Enterobacter cloacae NDM-1 Enterococcus faecalis [Enterococcus] Enterococcus faecalis - Vancomycin resistant [VRE] Escherichia coli [E. coli] Escherichia coli, New Delhi Metallo-Beta Lactamase (NDM-1) ESBL Escherichia coli [Extended spectrum beta-lactamase producing E. coli] Klebsiella pneumoniae [Klebsiella] Klebsiella pneumoniae - NDM-1 positive Legionella pneumophilia Listeria monocytogenes [Listeria] Salmonella schottmuelleri [Salmonella] Salmonella typhi [Salmonella] Serratia marcescens Shigella dysenteriae [Shigella] Staphylococcus aureus - Community Associated Methicillin-Resistant [CA-MRSA] [NRS384] [USA300] Staphylococcus aureus - Community Associated Methicillin-Resistant [CA-MRSA] [NRS123] [USA400] Staphylococcus aureus - Methicillin-Resistant [MRSA] Staphylococcus aureus Multi-Drug Resistant [resistant to tetracycline [Tc], penicillin [Pc], streptomycin [Sm] and erythromycin [Em] and susceptible to chloramphenicol [Cm] in vitro] Staphylococcus aureus - Vancomycin Intermediate Resistant - [VISA] Streptococcus pyogenes [Strep] [a cause of scarlet fever] Vibrio cholerae

#### [Viruses:]

\*Hepatitis B Virus [HBV] \*Hepatitis C Virus [HCV] \*Herpes Simplex Virus Type 1 \*Herpes Simplex Virus Type 2 \*HIV-1 [AIDS Virus] \*Human Coronavirus \*Influenza Virus Type A / Brazil [Influenza] \*Influenza Virus Type A / Hong Kong [Influenza] \*2013 Influenza A Virus (H7N9) \*Respiratory Syncytial Virus [RSV] \*SARS Associated Coronavirus [SARS] [cause of Severe Acute Respiratory Syndrome] \*Vaccinia [Pox Virus] \*Norwalk Virus [Feline Calicivirus] [Norovirus]

\*Rotavirus

#### Simoniz RTU is effective against the following animal viruses:

Avian Infectious Bronchitis Virus Avian Influenza [virus] (H3N2) Avian Influenza [virus] (H5N1) Canine Distemper Virus Feline Calicivirus Murine Norovirus Newcastle's Disease Virus Pseudorabies Virus

#### [Fungi:]

Aspergillus niger Aspergillus fumigatus Trichophyton mentagrophytes [the Athlete's Foot Fungus] [A Cause of Ringworm] [A Cause of Ringworm of the foot]

#### Simoniz RTU is a proven soft surface sanitizer against:†

Staphylococcus aureus Enterobacter aerogenes

+ Spot treatment of soft surfaces

#### **ACTIVE INGREDIENTS**

Octyl decyl dimethyl ammonium chloride	0.025%
Dioctyl dimethyl ammonium chloride	0.010%
Didecyl dimethyl ammonium chloride	0.015%
Alkyl (C <sub>14</sub> , 50%; C <sub>12</sub> , 40%; C <sub>16</sub> , 10%) dimethyl benzyl ammonium chloride	0.034%
OTHER INGREDIENTS	<u>99.916%</u>
Total 1	00.000%

#### EPA Reg. No. 6836-152-18305 EPA Est. No. 18305-CT-01

For specific instructions, see the label on the product container. It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.