

Safety Data Sheet

Simoniz Baseboard Stripper S3343012

SDS Number: 2357-AP2357 Revision Date: 4/6/2015

Page 1 of 8

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Simoniz, USA 201 Boston Turnpike Bolton, CT 06043 Tel: 800-227-5536

Emergency Phone: CHEM-TEL: (800) 255-3924

Product Name: Simoniz Baseboard Stripper S3343012

Revision Date: 4/6/2015

Version: 2

SDS Number: 2357-AP2357

Common Name: Aerosol Baseboard Stripper

Product Use: Wax stripper

2 HAZARDS IDENTIFICATION

Route of Entry: PRIMARY ROUTES OF EXPOSUTE: Inhalation; Eyes; Skin;

Inhalation: Can cause irritation and inflammation of the respiratory tract.

Skin Contact: May cause irritation to the skin. Prolonged contact with skin may cause burns.

Eye Contact: May cause permanent eye damage. Will cause eye irritation.

Ingestion: Not a normal route of exposure. May be harmful or fatal if swallowed.

NFPA: Health = 2, Fire = 1, Reactivity = 2

HMIS III: H2/F1/PH2







Safety Data Sheet

Simoniz Baseboard Stripper S3343012

SDS Number: 2357-AP2357 Revision Date: 4/6/2015

Page 2 of 8

GHS Signal Word: WARNING

GHS Hazard Pictograms:



GHS Classifications:

Health, Acute toxicity, 4 Oral Health, Acute toxicity, 4 Dermal

Health, Acute toxicity, 4 Inhalation

Environmental, Hazards to the aquatic environment - Acute, 3

Physical, Flammable Aerosols, 3

GHS Phrases:

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H332 - Harmful if inhaled

H402 - Harmful to aquatic life

H229 - Pressurized container: may burst if heated

GHS Precautionary Statements:

P102 - Keep out of reach of children.

P103 - Read label before use.

P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking

P251 - Pressurized container: Do not pierce or burn, even after use.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P262 - Do not get in eyes, on skin, or on clothing.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+361+353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

P304+312 - IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.

P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P410+412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

INGREDIENTS LISTED AS CARCINOGENS: OSHA - Not listed IARC - Not Listed NTP - not listed

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas # Percentage	1	Chemical Name
68476-85-7 5.0-10.0%	 I	Petroleum gases, liquefied
111-76-2 1.0-5.0%	- 1	2-Butoxyethanol
1310-58-3 0.1-1.0%	- 1	Potassium hydroxide
141-43-5 0.5-2.0%	- 1	Ethanolamine





Safety Data Sheet

Simoniz Baseboard Stripper S3343012

SDS Number: 2357-AP2357 Revision Date: 4/6/2015

Page 3 of 8

4 FIRST AID MEASURES

Inhalation: Move to fresh air and keep at rest. Call a physician if symptoms develop and persist. Give oxygen or artificial

respiration if needed.

Skin Contact: Wash with soap and water. If irritation persists or if burns appear on skin, call a physician immediately. Remove

contaminated clothing and wash before reuse.

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion: Do not induce vomiting. If vomiting occurs, keep head low to avoid getting into the lungs. Call a poison control center if

large amounts are ingested. Never give anything by mouth to an unconscious person. If victim is conscious rinse

mouth with water and drink large quantities of water or milk. Get prompt, qualified medical attention.

5 FIRE FIGHTING MEASURES

Flammability: Flammability per Flame Projection Test Non-flammable

Flash Point: >212°F (Concentrate)

Burning Rate: Not applicable
Autoignition Temp: Not established
LEL: Not established
UEL: Not established

Means of Extinction:

Suitable Extinguishing Media: Powder, foam, carbon dioxide.

Unsuitable Extinguishing Media: Not available.

Products of Combustion: May include, and are not limited to: oxides of carbon.

Explosion Data:

6

Sensitivity to Mechanical Impact: Not available. Sensitivity to Static Discharge: Not available.

Protection of Firefighters: Containers may explode when heated. Keep upwind of fire. Wear

full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. Ruptured cylinders may rocket.

Environmental Precautions: Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). This material is a water pollutant. Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.

Methods for Containment: Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for Clean-Up: Vacuum or sweep material. Neutralize and place in a disposal container. Allow gas to dissipate harmlessly into the atmosphere.



Safety Data Sheet

Simoniz Baseboard Stripper S3343012

SDS Number: 2357-AP2357 Revision Date: 4/6/2015

Page 4 of 8

7 HANDLING AND STORAGE

Handling Precautions: DANGER: CORROSIVE. CAUSES BURNS TO EYES AND SKIN. HARMFUL OR FATAL IF INHALED

OR SWALLOWED. VAPOR HARMFUL. EYE, SKIN AND RESPIRATORY IRRITANT. Contents under pressure. Keep out of reach of children. Read label cautions carefully. Follow label directions to avoid injury. Use with adequate ventilation. Do not use in confined areas. Keep away from heat, sparks or open flames. Wash hands thoroughly after each use. Do not smoke while using. Avoid contact with

skin and eyes. Avoid breathing vapor or mist. Do not puncture container.

Storage Requirements: Keep out of reach of children. Do not store near heat, sparks, or open flames. Do not expose to

temperatures above 120°F as container may vent, rupture or burst. Do not puncture or incinerate

container.

Store in accordance with NFPA 30B for LEVEL 1 AEROSOL.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Maintain adequate ventilation.

Personal Protective Equip: Eyes Protection: Wear eye/face protection.

Hand Protection: Wear suitable gloves.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Exposure Limits

 Ingredients
 OSHA-PEL
 ACGIH-TLV

 2-Butoxyethanol
 50 ppm(240mg/m3)
 20 ppm

 Liquified Petroleum Gas
 1000 ppm
 1000 ppm

 Potassium Hydroxide
 2mg/m3
 2mg/m3

Ethanolamine 3 ppm(6mg/m3) 3 ppm (6mg/m3 STEL)

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: light tan slightly viscous liquid

Physical State: Mixture packaged in pressurized aerosol sp Odor: mint

Spec Grav./Density:1.00 - 1.03 g/mlSolubility:Soluble in waterViscosity:Not evaluatedPercent Volatile:98.9%

Boiling Point: > 200F Freezing/Melting Pt.: Not evaluated

Flammability: Non-flammable (concentrate) Flash Point: >212°F (Concentrate)

Partition Coefficient: Not evaluated Not evaluated Octanol: Vapor Pressure: Not evaluated Vapor Density: Not evaluated pH: 11.0 - 12.0 VOC: 15.45% Evap. Rate: <1.0 (BuAc=1) **Auto-Ignition Temp:** Not evaluated UFL/LFL: Not evaluated



Safety Data Sheet

Simoniz Baseboard Stripper S3343012

SDS Number: 2357-AP2357 Revision Date: 4/6/2015

Page 5 of 8

10

STABILITY AND REACTIVITY

Stability: Product is stable under normal conditions.

Conditions to Avoid: heat, sparks, open flames and temperatures above 120°F

Materials to Avoid: Avoid contact with excess heat, strong oxidizers, strong mineral and organic acids, organic materials,

and alloys like aluminum, magnesium and zinc.

Hazardous Decomposition: CO, CO2, and hydrocarbons.

Hazardous Polymerization: Will not occur.

11

TOXICOLOGICAL INFORMATION

Not available

12

ECOLOGICAL INFORMATION

Ecotoxicity: May cause long-term adverse effects in the aquatic environment

Persistence / Degradability: Not available. Bioaccumulation / Accumulation: Not available.

Mobility in Environment: Not available.

13

DISPOSAL CONSIDERATIONS

Do not allow into drains or water sourses. Waste and empty containers should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act. Using information provided in this data sheet advice should be obtained from the Waste Regulation Authority, weather special waste regulations apply. Before offering for recycling, empty the container by using the product according to the label.

If recycling is not available, wrap the container and discard in the trash. Dispose of unused product in accordance with regulations.



Safety Data Sheet

Simoniz Baseboard Stripper S3343012

SDS Number: 2357-AP2357 Revision Date: 4/6/2015

Page 6 of 8

14

TRANSPORT INFORMATION

DOT Class: Non-Flammable Gas (2.2) #2.2

UN #: UN 1950, Class: 2, Proper Shipping Name: Aerosols, non-flammable

DOT

UN Number UN1950

UN proper shipping name Aerosols, non-flammable

Transport Hazard Class(es)

Class 2.2 Subsidiary risk ---Label(s) 2.2

Packing group Not applicable

IATA

UN Number UN1950

UN proper shipping name Aerosols, non-flammable

Transport Hazard Class(es)

Class 2.2 Subsidiary risk ---Label(s) 2.2

Packing group Not applicable

Environmental hazards No

Other information

Passenger and cargo aircraft Allowed Cargo aircraft only Allowed

IMDG

UN Number UN1950

UN proper shipping name Aerosols, non-flammable

Transport Hazard Class(es)

Class 2.2 Subsidiary risk ---Label(s) 2.2

Packing group Not applicable

Environmental hazards No



Safety Data Sheet

Simoniz Baseboard Stripper S3343012

SDS Number: 2357-AP2357 Revision Date: 4/6/2015

Page 7 of 8

15

REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

- *Petroleum gases, liquefied (68476857 5-10%) MASS, OSHAWAC, PA, TSCA, TXAIR
- *2-Butoxyethanol (111762 1-5%) HAP, MASS, OSHAWAC, PA, TSCA, TXAIR
- *Potassium hydroxide (1310583 0.1-1%) CERCLA, CSWHS, MASS, OSHAWAC, PA, TSCA, TXAIR
- *Ethanolamine (141435 0.5-2%) HAP, MASS, OSHAWAC, PA, TSCA, TXAIR

REGULATORY KEY DESCRIPTIONS

CERCLA = Superfund clean up substance CSWHS = Clean Water Act Hazardous substances MASS = MA Massachusetts Hazardous Substances List OSHAWAC = OSHA Workplace Air Contaminants PA = PA Right-To-Know List of Hazardous Substances

TSCA = Toxic Substances Control Act

TXAIR = TX Air Contaminants with Health Effects Screening Level

NJHS = NJ Right-to-Know Hazardous Substances

HAP = Hazardous Air Pollutants

PROPOSITION 65 - California Safe Drinking Water and Toxic Enforcement Act of 1986 This product is not known to contain chemical(s) currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to the proposition.

Proposition 65 - California Safe Drinking Water and Toxic Enforcement Act of 1986
This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to the proposition.



Safety Data Sheet

Simoniz Baseboard Stripper S3343012

SDS Number: 2357-AP2357 Revision Date: 4/6/2015

Page 8 of 8

16

OTHER INFORMATION

Disclaimer:

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

Publication Date: 4/6/15 Revision No. 2