Safety Data Sheet

STAINLESS STEEL WATER-BASED (16 OZ) #S3331

SDS Number: #S3331

Revision Date: 4/20/2015

Page 1 of 6

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Simoniz, USA 201 Boston Turnpike Bolton, Connecticut 06043

Phone:	1 (800) 227-5536
Emergency Phone:	1 (800) 255-3924 (CHEM-TEL)
Web:	http://www.simoniz.com/

Product Name:	STAINLESS STEEL WATER-BASED (16 OZ) #S3331
Revision Date:	4/20/2015
Version:	New
SDS Number:	#S3331
Common Name:	Aerosol Metal Cleaner/Polish
Product Use:	Cleaner

2	HAZARDS IDENTIFICATION	
Route of Entry:	Eyes - Yes Skin - Yes Inhalation - Yes Ingestion - Unlikely	
Target Organs:	Eyes, Respiratory System	
Inhalation:	Breathing of vapor or mist is possible. Breathing small amounts of this material during normal handling is not likely to cause harmful effects.	
Skin Contact:	Can cause skin irritation. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, and drying and cracking of skin, burns and other skin damage.	
Eye Contact:	May cause mild eye irritation. Symptoms include stinging, tearing, and redness.	
Ingestion:	Swallowing small amounts of this material during normal handling is not likely to cause harmful effects. Swallowing large amounts may be harmful. This material can get into the lungs during swallowing or vomiting. This results in lung inflammation and other lung injury.	

NFPA: HMIS III:



Health = 1, Fire = 1, Reactivity = 0 H1/F1/PH0



Safety Data Sheet

STAINLESS STEEL WATER-BASED (16 OZ) #S3331

SDS Number: #S3331

Revision Date: 4/20/2015

Page 2 of 6

GHS Signal Word: WARNING

GHS Hazard Pictograms:



GHS Classifications:

- Physical, Flammable Aerosols, 3
- Health, Aspiration hazard, 2
- Health, Skin corrosion/irritation, 3
- Health, Serious Eye Damage/Eye Irritation, 2 B
- Health, Specific target organ toxicity Single exposure, 3

GHS Phrases:

- H229 Pressurized container: may burst if heated
- H305 May be harmful if swallowed and enters airways
- H316 Causes mild skin irritation
- H320 Causes eye irritation
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness

GHS Precautionary Statements:

- P102 Keep out of reach of children.
- P103 Read label before use.
- P211 Do not spray on an open flame or other igntion source.
- P251 Pressurized container: Do not pierce or burn, even after use.
- P281 Use personal protective equipment as required.
- P301+312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- P302+350 IF ON SKIN: Gently wash with soap and water.
- P304+341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing.

- P309+311 IF exposed or you feel unwell: Call a POISON CENTER or doctor/physician.
- P410+412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

CONDITIONS AGGRAVATED BY EXPOSURE: Pre-existing skin and respiratory disorders. LISTED CARCINOGENS: OSHA - Not listed IARC - Not listed NTP - Not listed

COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

3

Cas # | Percentage | Chemical Name

64742-47-8 | 10-30% | Distillates, petroleum, hydrotreated light 106-97-8 | 5-10% | Butane 74-98-6 | 1-5% | Propane

4

STAINLESS STEEL WATER-BASED (16 OZ) #S3331

SDS Number: #S3331

Revision Date: 4/20/2015

Page 3 of 6

Inhalation:	Move individual away from exposure and into fresh air. If symptoms persist, seek medical attention.
Skin Contact:	Remove contaminated clothing. Wash exposed area with soap and water. If symptoms persist, seek medical attention. Launder clothing before reuse.
Eye Contact:	If symptoms develop, immediately move individual away from exposure and into fresh air. Flush eyes gently with water for at least 15 minutes while holding eyelids apart; seek immediate medical attention.
Ingestion:	Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting.

5

FIRE FIGHTING MEASURES

Flammability:	Non-flammable per Flame Projection Test
Flash Point:	Not available
Flash Point Method:	Not available.
Burning Rate:	Not available.
Autoignition Temp:	Not available.
LEL:	Not available.
UEL:	Not available.

Means of Extinction:

Suitable Extinguishing Media: Powder, foam, carbon dioxide. Unsuitable Extinguishing Media: Not available.

Products of Combustion: May include, and are not limited to: oxides of carbon.

Explosion Data:

Sensitivity to Mechanical Impact: Not available.

Sensitivity to Static Discharge: Not available.

Protection of Firefighters: Containers may explode when heated. Keep upwind of fire. Wear

full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

6

7

ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. Ruptured cylinders may rocket.

Environmental Precautions: Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). This material is a water pollutant. Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.

Methods for Containment: Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for Clean-Up: Vacuum or sweep material and place in a disposal container. Allow gas to dissipate harmlessly into the atmosphere.

HANDLING AND STORAGE

Handling Precautions:

HARMFUL IF INHALED OR SWALLOWED. VAPOR HARMFUL. EYE, SKIN AND RESPIRATORY IRRITANT. Contents under pressure. Keep out of reach of children. Read label cautions carefully. Follow label directions to avoid injury. Use with adequate ventilation. Do not use in confined areas.

STAINLESS STEEL WATER-BASED (16 OZ) #S3331

SDS Number: #S3331	Revision Date: 4/20/2015
	Page 4 of 6
	Keep away from heat, sparks or open flames. Wash hands thoroughly after each use. Do not smoke while using. Avoid contact with skin and eyes. Avoid breathing vapor or mist. Do not puncture container.
Storage Requirements:	Keep out of reach of children. Do not store near heat, sparks, or open flames. Do not expose to temperatures above 120°F as container may vent, rupture or burst. Do not puncture or incinerate container.
	Store in accordance with NFPA 30B for LEVEL 1 AEROSOL.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Personal Protective Ec		Maintain adequate ventilation. HMIS PP, B Safety Glasses, Gloves	
INGREDIENTS	EXPOSURE OSHA-PEL	LIMITS ACGIH-TLV	
Propane	Unknown	1000 ppm	
Butane	Unknown	800 ppm	
Petroleum distillates	Not established	Not established	

9

8

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	White creamy emulsion
Physical State:	Mixture packaged in pressurized aerosol spray can.
Odor:	Citrus scent
Solubility:	Partially soluble in water
Spec Grav./Density:	0.939 - 0.995 g/mL
Heat Value:	13.1 kJ/g
Boiling Point:	>100°F
Flammability:	Non-flammable (concentrate)
Flash Point:	Not established
Vapor Pressure:	No Data
pH:	8.5 -9.5
VOC:	14.52%
Evap. Rate:	<1.00

STABILITY AND REACTIVITY

Product is stable under normal conditions. **Conditions to Avoid:** Heat, sparks, open flames and temperatures above 120°F Materials to Avoid: Strong Oxidizing Agents. Hazardous Decomposition: CO, CO2, and hydrocarbons. Hazardous Polymerization: Will not occur.

11

10

Stability:

TOXICOLOGICAL INFORMATION

No product toxicological information is available.

STAINLESS STEEL WATER-BASED (16 OZ) #S3331

SDS Number: #S3331

Revision Date: 4/20/2015

Page 5 of 6

12

13

ECOLOGICAL INFORMATION

No product ecological information is available.

DISPOSAL CONSIDERATIONS

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

14 TRANSPORT INFORMATION

DOT Class: Non-Flammable Gas (2.2) #2.2 UN #: UN 1950, Class: 2, Proper Shipping Name: Aerosols, non-flammable



*Distillates, petroleum, hydrotreated light (64742478 10-30%) TSCA

*Butane (106978 5-10%) MASS, NJHS, OSHAWAC, PA, TSCA, TXAIR

*Propane (74986 1-5%) MASS, NJHS, OSHAWAC, PA, TSCA, TXAIR

TSCA = Toxic Substances Control Act MASS = MA Massachusetts Hazardous Substances List NJHS = NJ Right-to-Know Hazardous Substances OSHAWAC = OSHA Workplace Air Contaminants PA = PA Right-To-Know List of Hazardous Substances TXAIR = TX Air Contaminants with Health Effects Screening Level

Proposition 65 - California Safe Drinking Water and Toxic Enforcement Act of 1986 This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to the proposition.

16

OTHER INFORMATION

Publication Date: 4/29/2015 Revision No. New

STAINLESS STEEL WATER-BASED (16 OZ) #S3331

SDS Number: #S3331

 Revision Date:
 4/20/2015

 Page
 6
 of
 6

Disclaimer:

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).