



Issue Date 28-Aug-2014

Revision Date 28-Aug-2014

Version 1

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

 Product identifier

 Product Name
 S35 TRAFFIC LANE CLEANER

 Other means of identification

Product Code Synonyms

Recommended use of the chemical and restrictions on useRecommended UseCarpet Prespray Concentrate.Uses advised againstNo information available

Details of the supplier of the safety data sheet Manufacturer Address Harvard Chemical Research, Inc., 3595 Zip Industrial Blvd., Atlanta, GA 30354

S35

None

Emergency telephone numberCompany Phone Number1-404-761-065724 Hour Emergency Phone Number800-424-9300Emergency TelephoneChemtrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

#### **Classification**

OSHA Regulatory Status This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation


Category 2

Label elements

Warning

**Emergency Overview** 

Hazard statements Causes serious eye irritation



#### Hazards not otherwise classified (HNOC) Other Information • May be harmful if swallowed • Causes mild skin irritation Unknown Acute Toxicity % of the m

% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Isopropyl Alcohol	67-63-0	<15	*
Ethylene Glycol Monobutyl Ether	111-76-2	<10	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

First aid measures			
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.		
Skin Contact	Rinse with clear water.		
Inhalation	Remove to fresh air. If not breathing, clear airway and start artificial respiration. If victim is having trouble breathing, give supplemental oxygen, if available. Get medical attention.		
Ingestion	Immediately drink large quantities of water. Get medical attention.		
Most important symptoms and effects, both acute and delayed			
Symptoms	No information available.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		
5. FIRE-FIGHTING MEASURES			

## Suitable extinguishing media

Carbon dioxide (CO2). Dry chemical. Alcohol Foam.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

### Specific hazards arising from the chemical

No information available.

### Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Personal precautions, protective equipment and emergency procedures		
Personal precautions	Ensure adequate ventilation, especially in confined areas.	
Environmental precautions		
Environmental precautions	See Section 12 for additional ecological information.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	PH adjust and dispose in accordance with federal and state regulations.	
7. HANDLING AND STORAGE		
Precautions for safe handling		
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep container closed when not in use. Keep out of reach of children. Do not freeze. Follow label instructions.	
Incompatible materials	Strong acids. OXIDIZERS.	

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

#### Exposure Guidelines

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>
Ethylene Glycol Monobutyl Ether 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m <sup>3</sup>

### Appropriate engineering controls

### **Engineering Controls**

Showers Eyewash stations Ventilation systems.

### Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Wear Neoprene or protective rubber gloves. Drenching safety shower and eye wash station.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Appearance Color	liquid Clear clear	Odor Odor threshold	Butyl No information available
Property pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties	Values10.5No information available100 >212°FNo information available>1No information availableNo information available	<u>Remarks • Method</u>	
Oxidizing properties <u>Other Information</u> Softening point	No information available No information available		
Molecular weight VOC Content (%) Density Bulk density	No information available No information available 8.15 No information available		

# **10. STABILITY AND REACTIVITY**

Reactivity No data available

#### Chemical stability

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions** 

None under normal processing.

### Hazardous polymerization Hazardous polymerization does not occur.

#### Conditions to avoid

Extremes of temperature and direct sunlight.

### Incompatible materials

Strong acids. OXIDIZERS.

## Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide (CO2). heat.

## **11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin Contact	No data available.
Ingestion	No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl Alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m <sup>3</sup> (Rat)4 h
Ethylene Glycol Monobutyl Ether 111-76-2	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat)4 h

### Information on toxicological effects

Symptoms

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No informatio	No information available. No information available. No information available.		
Chemical Name	ACGIH			
Isopropyl Alcohol 67-63-0	-	-	-	Х
Ethylene Glycol Monobutyl Ether 111-76-2	A3	Group 3	-	-
Reproductive toxicity STOT - single exposure STOT - repeated exposur Aspiration hazard	e No information	No information available. No information available. No information available. No information available.		

### Numerical measures of toxicity - Product Information

Unknown Acute Toxicity % of the mixture consists of ingredient(s) of unknown toxicity The following values are calculated based on chapter 3.1 of the GHS document .

### **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

12% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Isopropyl Alcohol	1000: 96 h Desmodesmus	9640: 96 h Pimephales promelas	13299: 48 h Daphnia magna mg/L
67-63-0	subspicatus mg/L EC50 1000: 72 h	mg/L LC50 flow-through 11130: 96 h	EC50
	Desmodesmus subspicatus mg/L	Pimephales promelas mg/L LC50	
	EC50	static 1400000: 96 h Lepomis	
		macrochirus µg/L LC50	
Ethylene Glycol Monobutyl Ether	-	2950: 96 h Lepomis macrochirus	1000: 48 h Daphnia magna mg/L
111-76-2		mg/L LC50 1490: 96 h Lepomis	EC50 1698 - 1940: 24 h Daphnia
		macrochirus mg/L LC50 static	magna mg/L EC50

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
Isopropyl Alcohol 67-63-0	0.05
Ethylene Glycol Monobutyl Ether 111-76-2	0.81

Other adverse effects

No information available

## 13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

Chemical Name	California Hazardous Waste Status	
Isopropyl Alcohol	Toxic	
67-63-0	Ignitable	

# 14. TRANSPORT INFORMATION

DOT

Not regulated

## **15. REGULATORY INFORMATION**

Complies
Complies
Complies
Does not comply
Complies
Complies
Complies
Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
Isopropyl Alcohol - 67-63-0	1.0	
Ethylene Glycol Monobutyl Ether - 111-76-2	1.0	
SARA 311/312 Hazard Categories		
Acute health hazard	No	
Chronic Health Hazard	No	
Fire hazard	No	
Sudden release of pressure hazard	No	
Reactive Hazard	No	

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### US State Regulations

## California Proposition 65

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl Alcohol 67-63-0	Х	X	Х
Ethylene Glycol Monobutyl Ether 111-76-2	Х	X	Х

## U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION						
<u>NFPA</u>	Health hazards	0	Flammability	0	Instability 0	Physical and Chemical Properties -
HMIS	Health hazards	1	Flammability	1	Physical hazards 1	Personal protection X
Prepared By Issue Date Revision Date	Moira Blackflower 28-Aug-2014 28-Aug-2014					
Revision Note No information available Disclaimer		5		the b	est of our knowledge, info	mation and belief at the

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet