
1 – PRODUCT IDENTIFICATION

2 – HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE:..... Eye Irritation (2A)



3 – COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT Water Polydimethylsiloxane Emulsion C₁₃.C₁₄ Isoparaffin

C.A.S. NUMBER 7732-18-5 Mixture 921-50-8

PAGE 1 of 4

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals

4 – FIRST-AID MEASURES

BREATHING (INHALATION):	If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention.
SWALLOWING (INGESTION):	DO NOT INDUCE VOMITING! Drink a large quantity of water or milk. Do not attempt to give liquids to an unconscious person. Get immediate medical attention!
EYES:	Flush eyes with a large quantity of fresh water for at least 15 minutes. If irritation persists, consult a physician.
SKIN (DERMAL):	Flush from skin and clothing with large amounts of fresh water. If irritation persists, consult physician. Wash contaminated clothing before wearing.

5 – FIRE-FIGHTING MEASURES

This product is non-flammable.	
This product is non-flammable. Use extinguishing media suitable	
for materials already burning.	
CEDURES:Firefighters working in areas where this	
product is present should be equipped with an approved, fully	
enclosed SCBA.	
UNUSUAL FIRE AND EXPLOSION HAZARDS: None known.	

6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:	Dike to prevent spillage into streams or sewer systems. Consult
	local, state and federal authorities.
WASTE DISPOSAL:	As recommended by local, state and federal authorities.

7 – HANDLING and STORAGE

STORAGE:	. Store in a cool, well ventilated area. Avoid overheating or
	freezing.
HANDLING:	. Do not place this product in an unmarked container. Avoid eye
	contact. Spilled material is slippery.

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION: Not usually needed. Vapors not normally harmful. PROTECTIVE CLOTHING:...... Special protection not usually needed. Wear eye protection if product is likely to splash. ADDITIONAL MEASURES: Do not place this product in an unmarked container. Avoid eye contact. Spilled material is slippery.

INGREDIENT

C.A.S. NUMBER

Water Polydimethylsiloxane Emulsion C_{13} - C_{14} Isoparaffin 7732-18-5 Mixture 921-50-8 No limits established No limits established No limits established

9 – PHYSICAL / CHEMICAL PROPERITES

APPEARANCE & ODOR: Slightly viscous white liquid. No fragrance. ODOR THRESHOLD: N/A **pH:**.....7.5-9.0 MELTING POINT: 210 degrees F. FREEZING POINT: N/A BOILING POINT:..... 210 degrees F. BOILING POINT RANGE:..... N/A EVAPORATION RATE: N/A FLAMMABILITY (solid/gas):.... N/A EXPLOSION LIMITS: N/A VAPOR PRESSURE: N/A VAPOR DENSITY (AIR=1):..... Greater than 1. SPECIFIC GRAVITY: 1.00 SOLUBILITY IN WATER: Completely soluble. PARTITION COEFFICIENT: N/A AUTO-IGNITION TEMPERATURE:.....N/A DECOMPOSITION TEMPERATURE:N/A VISCOSITY: Slight Body

10 – STABILITY and REACTIVITY

11 – TOXICOLOGICAL INFORMATION

ROUTE(S) OF ENTRY: Ingestion. Not likely to be inhaled in dangerous amounts. **LISTED CARCINOGEN:** None over 0.1%. **MEDICAL CONDITION AGGRAVATED:** May aggravate pre-existing dermatitis.

INHALATION:...... Not likely to be inhaled in hazardous amounts. Maintain adequate ventilation in the work area.

INGESTION: This material can cause irritation to the stomach and esophagus if ingested.

EYES: May cause eye irritation.

SKIN (DERMAL): Not likely to irritate. Prolonged exposure to undiluted product may cause irritation.

ACUTE TOXICITY* (ORAL):.....>2000 mg/kg ACUTE TOXICITY* (DERMAL):....>2000 mg/kg ACUTE TOXCITY* (INHALATION):....>20,000 ppm V (Gas), >20 mg/l (Vapor), >5 mg/l (Dust)

*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

12 – ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: As recommended by local, state and federal authorities.

14 – TRANSPORTATION INFORMATION

PROPER SHIPPING NAME:.... Not D.O.T. regulated. HAZARD CLASS:..... UN/NA NUMBER: PACKAGING GROUP :.....

15 - REGULATIONS

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

16 – OTHER INFORMATION