1 – PRODUCT IDENTIFICATION

2 – HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE:Specific Target Organ Toxicity – Repeated Exposure (2)

SYMBOLS:....



SIGNAL WORD: WARNING! HAZARD STATEMENT: May cause damage to organs.

PRECAUTIONARY STATEMENTS:

PREVENTION:	Wash hands thoroughly after handling. Do not breathe
	dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product
RESPONSE:	. IF exposed or concerned: Get medical advice/attention.
STORAGE:	. Store locked up.
DISPOSAL:	Dispose of container and contents in accordance with local
	regulations. Dispose of container and contents in accordance with local regulations.

3 – COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT Water Polydimethylesiloxane Ehtylene Glycol **C.A.S. NUMBER** 7732-18-5 63148-62-9 56-81-5 CONCENTRATION (%) 65-95 10-20 1-5

PAGE 1 of 4

4 – FIRST-AID MEASURES

BREATHING (INHALATION): .	If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention.
SWALLOWING (INGESTION):	DO NOT INDUCE VOMITING! Drink a large quantity of water or milk. Do not attempt to give liquids to an unconscious person. Get immediate medical attention!
EYES:	 Flush eyes with a large quantity of fresh water for at least 15 minutes. If irritation persists, consult a physician.
SKIN (DERMAL):	 Flush from skin and clothing with large amounts of fresh water. If irritation persists, consult physician. Wash contaminated clothing before wearing.

5 – FIRE-FIGHTING MEASURES

FLASHPOINT:	. This product is non-flammable.	
EXTINGUISHING MEDIA:	This product is non-flammable. Use extinguishing media suitable	
	for materials already burning.	
SPECIAL FIRE FIGHTING PROCEDURES:Firefighters working in areas where this		
	product is present should be equipped with an approved, fully enclosed SCBA.	
UNUSUAL FIRE AND EXPLOSION HAZARDS: None known.		

6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:	Dike to prevent spillage into streams or sewer systems. Consult
	local, state and federal authorities.
WASTE DISPOSAL	As recommended by local state and federal authorities

7 – HANDLING and STORAGE

STORAGE:	. Store in a cool, well ventilated area. Avoid overheating or
	freezing.
HANDLING:	. Do not place this product in an unmarked container. Avoid eye
	contact. Spilled material is slippery.

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION:.....Not usually needed. Vapors not normally harmful. PROTECTIVE CLOTHING:......Special protection not usually needed. Wear eye protection if product is likely to splash. ADDITIONAL MEASURES:.....Do not place this product in an unmarked container. Avoid eye contact. Spilled material is slippery.

INGREDIENT

C.A.S. NUMBER

PEL

Water Polydimethylesiloxane Ethylene Glycol 7732-18-5 63148-62-9 107-21-1 No limits established No limits established 100mg/m3 ceiling

9 – PHYSICAL / CHEMICAL PROPERITES

APPEARANCE & ODOR: White opaque liquid, pleasntly scented. ODOR THRESHOLD: N/A **pH:**......5.0-6.0 MELTING POINT: 210 degrees F. FREEZING POINT: N/A BOILING POINT: 210 degrees F. BOILING POINT RANGE: N/A FLASHPOINT: This product is non-flammable. EVAPORATION RATE: N/A FLAMMABILITY (solid/gas): ... N/A EXPLOSION LIMITS: N/A VAPOR PRESSURE: N/A VAPOR DENSITY (AIR=1): Greater than 1. SPECIFIC GRAVITY: 1.00 SOLUBILITY IN WATER: Completely soluble. PARTITION COEFFICIENT: N/A AUTO-IGNITION TEMPERATURE:N/A DECOMPOSITION TEMPERATURE:N/A VISCOSITY: Water thin

10 – STABILITY and REACTIVITY

11 – TOXICOLOGICAL INFORMATION

ROUTE(S) OF ENTRY:.....Ingestion. Not likely to be inhaled in dangerous amounts. **LISTED CARCINOGEN:**...........None over 0.1%.

MEDICAL CONDITION AGGRAVATED:......May aggravate pre-existing dermatitis. **INHALATION:**Not likely to be inhaled in hazardous amounts. Maintain adequate ventilation in the work area.

EYES: May cause eye irritation.

SKIN (DERMAL): Not likely to irritate. Prolonged exposure to undiluted product may cause irritation.

ACUTE TOXICITY* (ORAL):.....>2000 mg/kg ACUTE TOXICITY* (DERMAL):.....>2000 mg/kg ACUTE TOXCITY* (INHALATION):>20,000 ppm V (Gas), >20 mg/l (Vapor), >5 mg/l (Dust)

*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

12 – ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: As recommended by local, state and federal authorities.

14 – TRANSPORTATION INFORMATION

PROPER SHIPPING NAME: Not D.O.T. regulated. HAZARD CLASS: UN/NA NUMBER: PACKAGING GROUP :

15 - REGULATIONS

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

16 – OTHER INFORMATION