1 – PRODUCT IDENTIFICATION

PRODUCT NAME: Ben Ami Dress Blues PRODUCT TYPE: Neutral Liquid Vehicle Dressing PRODUCT NUMBER: D0866BIX (Last character varies with the packaging)

COMPANY:BEN-AMI REFINISHING SOLUTIONS 41 Hicks Street Lindenhurst, NY 11757 631-991-8421 www.benamiautocare.com

2 – HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE:..... Eye Irritation (2B)

SYMBOLS:....

SIGNAL WORD: HAZARD STATEMENT: PRECAUTIONARY STATEMEN	. Causes eye irritation.
PREVENTION:	. Wash hands thoroughly after handling.
	. IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.
STORAGE:	. Store in a cool, well ventilated area. Avoid overheating or
	freezing.
DISPOSAL:	As recommended by local, state and federal authorities.

3 – COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT Water Polydimethylsiloxane Emulsion C.A.S. NUMBER 7732-18-5 Mixture

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals

4 – FIRST-AID MEASURES

BREATHING (INHALATION):... If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention.

Safety Data Sheet

SWALLOWING (INGESTION):	. DO NOT INDUCE VOMITING! Drink a large quantity of water or milk. Do not attempt to give liquids to an unconscious person.
	Get immediate medical attention!
EYES:	. Flush eyes with a large quantity of fresh water for at least 15
SKIN (DERMAL):	minutes. If irritation persists, consult a physician. Flush from skin and clothing with large amounts of fresh water. If irritation persists, consult physician. Wash contaminated clothing before wearing.

5 – FIRE-FIGHTING MEASURES

FLASHPOINT:..... This product is non-flammable.

EXTINGUISHING MEDIA:...... This product is non-flammable. Use extinguishing media suitable for materials already burning.

SPECIAL FIRE FIGHTING PROCEDURES:Firefighters working in areas where this product is present should be equipped with an approved, fully enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS:......None known.

6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: Dike to prevent spillage into streams or sewer systems. Consult local, state and federal authorities.

WASTE DISPOSAL: As recommended by local, state and federal authorities.

7 – HANDLING and STORAGE

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION:Not usually needed. Vapors not normally harmful.

PROTECTIVE CLOTHING:...... Special protection not usually needed. Wear eye protection if product is likely to splash.

ADDITIONAL MEASURES: Do not place this product in an unmarked container. Avoid eye contact. Spilled material is slippery.

INGREDIENT	C.A.S. NUMBER	PEL
Water	7732-18-5	No limits establishe

Polydimethylsiloxane Emulsion

Mixture

No limits established No limits established

9 – PHYSICAL / CHEMICAL PROPERITES

APPEARANCE & ODOR: Opaque blue liquid, watermelon scent.
ODOR THRESHOLD:N/A
pH: 6.5-7.5
MELTING POINT: 210 degrees F.
FREEZING POINT:N/A
BOILING POINT:
BOILING POINT RANGE:N/A
FLASHPOINT: This product is non-flammable.
EVAPORATION RATE:N/A
FLAMMABILITY (solid/gas): N/A
EXPLOSION LIMITS:N/A
VAPOR PRESSURE:N/A
VAPOR DENSITY (AIR=1): Greater than 1.
SPECIFIC GRAVITY: 1.01
SOLUBILITY IN WATER: Completely soluble.
PARTITION COEFFICIENT: N/A
AUTO-IGNITION TEMPERATURE:N/A
DECOMPOSITION TEMPERATURE:N/A
VISCOSITY: Water thin

10 – STABILITY and REACTIVITY

11 – TOXICOLOGICAL INFORMATION

ROUTE(S) OF ENTRY:.....Ingestion. Not likely to be inhaled in dangerous amounts. **LISTED CARCINOGEN:**......None over 0.1%.

MEDICAL CONDITION AGGRAVATED:......May aggravate pre-existing dermatitis.

INHALATION:...... Not likely to be inhaled in hazardous amounts. Maintain adequate ventilation in the work area.

EYES: May cause eye irritation.

SKIN (DERMAL): Not likely to irritate. Prolonged exposure to undiluted product may cause irritation.

ACUTE TOXICITY* (ORAL):.....>5000 mg/kg

ACUTE TOXCITY* (INHALATION):.....>20,000 ppm V (Gas), >20 mg/l (Vapor), >5 mg/l (Dust)

*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

12 – ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

PAGE 3 of 4

Safety Data Sheet

13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: As recommended by local, state and federal authorities.

14 – TRANSPORTATION INFORMATION

PROPER SHIPPING NAME:..... Not D.O.T. regulated. HAZARD CLASS:..... UN/NA NUMBER: PACKAGING GROUP :.....

15 - REGULATIONS

Contents of this SDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

16 – OTHER INFORMATION

REVISION DATE:.....07/20/2022