1 - PRODUCT IDENTIFICATION

PRODUCT NAME: Black Ice

PRODUCT TYPE: Water Based Tire Dressing

PRODUCT NUMBER: B0303XXX (Last 3 characters vary with the packaging)

CONTROL NUMBER:..... B0303XXX

COMPANY: Simoniz USA, Inc.

201 Boston Turnpike Bolton, CT 06043 1-800-227-5536

www.simoniz.com

EMERGENCY PHONE:..... (800) 255-3924 (CHEM-TEL)

2 - HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE:..... Eye Irritation (2A)

SYMBOLS:.....



SIGNAL WORD:..... WARNING!

HAZARD STATEMENT:..... Causes serious eye irritation

PRECAUTIONARY STATEMENTS:

PREVENTION: Wash hands thoroughly after handling. Wear protective

gloves/protective clothing/eye protection/face protection.

RESPONSE:..... IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.

STORAGE: N/A

DISPOSAL: N/A

3 - COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT

Water Polydimethylsiloxane Emulsion **Odorless Mineral Spirits**

C.A.S. NUMBER

7732-18-5 Mixture 64741-65-7

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals

4 - FIRST-AID MEASURES

BREATHING (INHALATION): ... If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention.

SWALLOWING (INGESTION): . DO NOT INDUCE VOMITING! Drink a large quantity of water or

milk. Do not attempt to give liquids to an unconscious person.

Get immediate medical attention!

EYES: Ingestion. Not likely to be inhaled in dangerous amounts.

SKIN (DERMAL): Flush from skin and clothing with large amounts of fresh water. If

irritation persists, consult physician. Wash contaminated clothing

before wearing.

5 – FIRE-FIGHTING MEASURES

FLASHPOINT:.... This product is non-flammable.

EXTINGUISHING MEDIA:...... This product is non-flammable. Use extinguishing media suitable

for materials already burning.

SPECIAL FIRE FIGHTING PROCEDURES:Firefighters working in areas where this

product is present should be equipped with an approved, fully

enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS:......None known.

6 - ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: Dike to prevent spillage into streams or sewer systems. Consult

local, state and federal authorities.

WASTE DISPOSAL: As recommended by local, state and federal authorities.

7 - HANDLING and STORAGE

STORAGE: Store in a cool, well ventilated area. Avoid overheating or

freezing.

HANDLING: Do not place this product in an unmarked container. Avoid eye

contact. Spilled material is slippery.

8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION: Not usually needed. Vapors not normally harmful.

PROTECTIVE CLOTHING:...... Special protection not usually needed. Wear eye protection if

product is likely to splash.

ADDITIONAL MEASURES: Do not place this product in an unmarked container. Avoid eye

contact. Spilled material is slippery.

INGREDIENT C.A.S. NUMBER PEL

Water 7732-18-5 No limits established Polydimethylsiloxane Emulsion Mixture No limits established Odorless Mineral Spirits 64741-65-7 100 ppm TLV

9 - PHYSICAL / CHEMICAL PROPERITES

APPEARANCE & ODOR: Opaque light blue liquid, slight solvent odor.

ODOR THRESHOLD: N/A **pH:** 7.0-8.5

MELTING POINT: 210 degrees F.

FREEZING POINT: N/A

BOILING POINT:..... 210 degrees F.

BOILING POINT RANGE:..... N/A

FLASHPOINT:..... This product is non-flammable.

EVAPORATION RATE:......N/A
FLAMMABILITY (solid/gas):.... N/A
EXPLOSION LIMITS:......N/A
VAPOR PRESSURE:.....N/A

VAPOR DENSITY (AIR=1):...... Greater than 1. SPECIFIC GRAVITY: Less than 1. SOLUBILITY IN WATER: Dispersible.

PARTITION COEFFICIENT: N/A

AUTO-IGNITION TEMPERATURE:N/A
DECOMPOSITION TEMPERATURE:N/A

VISCOSITY: Siginificant body

10 - STABILITY and REACTIVITY

ROUTE(S) OF ENTRY:..... Ingestion. Not likely to be inhaled in dangerous amounts.

LISTED CARCINOGEN: None over 0.1%.

MEDICAL CONDITION AGGRAVATED:......May aggravate pre-existing dermatitis.

11 - TOXICOLOGICAL INFORMATION

ventilation in the work area.

INGESTION: This material can cause irritation to the stomach and esophagus

if ingested.

EYES: May cause eye irritation.

SKIN (DERMAL): Not likely to irritate. Prolonged exposure to undiluted product may

cause irritation.

ACUTE TOXICITY* (ORAL):....>2000 mg/kg ACUTE TOXICITY* (DERMAL):...>2000 mg/kg

ACUTE TOXCITY* (INHALATION):.....>20,000 ppm V (Gas), >20 mg/l (Vapor), >5 mg/I (Dust) *Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6) 12 - ECOLOGICAL INFORMATION **ENVIRONMENTAL FATE AND DISTRIBUTION: N/A** 13 - DISPOSAL CONSIDERATIONS **WASTE DISPOSAL:** As recommended by local, state and federal authorities. 14 - TRANSPORTATION INFORMATION PROPER SHIPPING NAME:..... Not D.O.T. regulated. HAZARD CLASS:.... UN/NA NUMBER: PACKAGING GROUP :..... 15 - REGULATIONS Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200 **16 – OTHER INFORMATION NFPA HEALTH:** 1 NFPA FLAMMABILITY:.....0 NFPA REACTIVITY:.....0 NFPA OTHER: None ADDITIONAL:..... The information contained in this SDS is based on the data available to us from sources we believe to be reliable. No warranty or guaranty expressed or implied is made regarding the accuracy of this data or the results obtained from the reliance on this data. The manufacturer assumes no responsibility for injury from the use of this product. Be safe- read this product safety information and pass it on to all persons who may be exposed to this product. Federal law requires it. This product and/or all of its components are either included on or exempt from the TSCA Inventory of Chemical Substances. **REVISION DATE:.....** 05/26/15