1 – PRODUCT IDENTIFICATION

2 – HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE:..... Skin Irritation (2) Serious Eye Damage (1)



 SIGNAL WORD:
 DANGER!

 HAZARD STATEMENT:
 Causes skin irritation. Causes serious eye damage.

 PRECAUTIONARY STATEMENTS:
 PREVENTION:

 Wash hands thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

 RESPONSE:
 IF ON SKIN: Wash with plenty of water and soap. Specific treatment (see First AID Section on this label). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. Immediately call a POISON CENTER or doctor/physician.

 STORAGE:
 Store in a cool, well ventilated area. Avoid overheating or freezing.

 DISPOSAL:
 As recommended by local, state and federal authorities.

3 – COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT

Water 2-Butoxy Ethanol Sodium Metasilicate

C.A.S. NUMBER 7732-18-5 111-76-2 6834-92-0

CONCENTRATION (%) 75-95

5-15 1-5

4 – FIRST-AID MEASURES

	If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention. DO NOT INDUCE VOMITING! Drink a large quantity of water or
EYES:	milk. Do not attempt to give liquids to an unconscious person. Get immediate medical attention! . Flush eyes with a large quantity of fresh water for at least 15
SKIN (DERMAL):	 Flush revealed and the second and the seco

5 – FIRE-FIGHTING MEASURES

FLASHPOINT:..... This product is non-flammable.

EXTINGUISHING MEDIA:...... This product is non-flammable. Use extinguishing media suitable for materials already burning.

SPECIAL FIRE FIGHTING PROCEDURES:Firefighters working in areas where this product is present should be equipped with an approved, fully enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS:......None known.

6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: Dike to prevent spillage into streams or sewer systems. Consult local, state and federal authorities. WASTE DISPOSAL: As recommended by local, state and federal authorities.

7 – HANDLING and STORAGE

8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION: Not usually needed in well-ventilated areas. If needed, use a NIOSH approved respirator. PROTECTIVE CLOTHING: Nitrile or PVC gloves, and chemical splash goggles. ADDITIONAL MEASURES: Under normal use according to label instructions, special protection should not be necessary. Wear eye protection if product is likely to splash. Do not place this product in an unmarked container! Keep away from children! Spilled material is slippery.		
INGREDIENT	C.A.S. NUMBER	PEL
Water	7732-18-5	No limits established
2-Butoxy Ethanol	111-76-2	20 ppm TLV, 25 ppm PEL
Sodium Metasilicate	6834-92-0	No limit established

9 – PHYSICAL / CHEMICAL PROPERITES

APPEARANCE & ODOR:	Blue transparent liquid, slight solvent odor.	
ODOR THRESHOLD:	N/A	
pH:	13.2	
MELTING POINT:	210 degrees F.	
FREEZING POINT:	N/A	
BOILING POINT:	210 degrees F.	
BOILING POINT RANGE:	N/A	
FLASHPOINT:	This product is non-flammable.	
EVAPORATION RATE:	N/A	
FLAMMABILITY (solid/gas):	N/A	
EXPLOSION LIMITS:	N/A	
VAPOR PRESSURE:	N/A	
VAPOR DENSITY (AIR=1):		
SPECIFIC GRAVITY:	1.02	
SOLUBILITY IN WATER:	Completely soluble.	
PARTITION COEFFICIENT:	N/A	
AUTO-IGNITION TEMPERAT	ΓURE: Ν/Α	
DECOMPOSITION TEMPERATURE:N/A		
VISCOSITY:	Water thin	

10 – STABILITY and REACTIVITY

11 – TOXICOLOGICAL INFORMATION

*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

12 – ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: As recommended by local, state and federal authorities.

14 – TRANSPORTATION INFORMATION

PROPER SHIPPING NAME:..... Not D.O.T. regulated. HAZARD CLASS:...... UN/NA NUMBER: PACKAGING GROUP :.....

15 - REGULATIONS

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

16 – OTHER INFORMATION

 NFPA HEALTH:
 2

 NFPA FLAMMABILITY:
 1

 NFPA REACTIVITY:
 0

 NFPA OTHER:
 Alkali