#### 1 - PRODUCT IDENTIFICATION

PRODUCT NAME: ..... Grease B Gone

PRODUCT TYPE: ..... Alkaline liquid cleaning compound

PRODUCT NUMBER: ..... BT028XXX (Last 3 characters vary with the packaging)

CONTROL NUMBER:......G5028XXX

COMPANY: ..... Simoniz USA, Inc.

201 Boston Turnpike Bolton, CT 06043 1-800-227-5536

www.simoniz.com

**EMERGENCY PHONE:.....** (800) 255-3924 (CHEM-TEL)

#### 2 – HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE:..... Skin Corrosion (1) Serious Eye Damage (1)

SYMBOLS:....



SIGNAL WORD:..... DANGER!

HAZARD STATEMENT:..... Causes severe skin burns and eye damage. Causes serious eye

damage.

PRECAUTIONARY STATEMENTS:

PREVENTION: ...... Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands

thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Handle under inert gas. Protect from moisture. Pressurized container – Do not pierce or

burn, even after use.

RESPONSE:..... IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON

SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. Specific treatment (see First AID Section on this label). IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses if present and easy to do – continue rinsing. Immediately call a POISON CENTER or doctor/physician.

STORAGE:..... Store locked up. Store in a cool, well ventilated area. Avoid

overheating or freezing.

DISPOSAL: ..... Dispose of container and contents in accordance with local

regulations.

## 3 – COMPOSITION / INFORMATION ON INGREDIENTS

| INGREDIENT                         | C.A.S. NUMBER |
|------------------------------------|---------------|
| Water                              | 7732-18-5     |
| 2-Butoxy Ethanol                   | 111-76-2      |
| Potassium Dodecylbenzene Sulfonate | 27177-77-1    |
| Tall Oil Potassium Salt            | 61790-44-1    |
| Sodium Xylene Sulfonate            | 1300-72-7     |

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals

## 4 - FIRST-AID MEASURES

| BREATHING (INHALATION): | . If victim shows signs of discomfort or irritation, remove to fresh  |
|-------------------------|---|
| SWALLOWING (INGESTION): | air. If symptoms persist, get immediate medical attention.  DO NOT INDUCE VOMITING! Drink a large quantity of water or milk. Do not attempt to give liquids to an unconscious person. |
| EYES:                   | Get immediate medical attention!  Flush eyes with a large quantity of fresh water for at least 15   |
|                         | minutes. Apply ice compresses and GET IMMEDIATE EMERGENCY MEDICAL ATTENTION by an eye specialist. It may be necessary to take victim to a hospital emergency room.                    |
| SKIN (DERMAL):          | Flush from skin and clothing with large amounts of fresh water. If irritation persists, consult physician. Wash contaminated clothing before wearing.                                 |

## **5 – FIRE-FIGHTING MEASURES**

| FLASHPOINT:                    | This prodcut is non-flammable.                                  |
|--------------------------------|---|
|                                | This product is non-flammable. Use extinguishing media suitable |
|                                | for materials already burning.                                  |
| SPECIAL FIRE FIGHTING PRO      | OCEDURES:Firefighters working in areas where this               |
|                                | product is present should be equipped with an approved, fully   |
|                                | enclosed SCBA.  |
| <b>UNUSUAL FIRE AND EXPLOS</b> | ION HAZARDS:None known.   |

## 6 - ACCIDENTAL RELEASE MEASURES

| SPILL PROCEDURES: | . Dike to prevent spillage into streams or sewer systems. | Consult |
|-------------------|---|---------|
|                   | local, state and federal authorities.                     |         |
| WASTE DISPOSAL:   | As recommended by local, state and federal authorities.   |         |

## 7 - HANDLING and STORAGE

STORAGE: ...... Store in a cool, well ventilated area. Avoid overheating or

freezing.

protection should not be necessary. Wear eye protection if product is likely to splash.Do not place this product in an unmarked container! Keep away from children! Spilled material is

slippery.

## 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION: Not usually needed in well-ventilated areas. If needed, use a

NIOSH approved respirator.

**PROTECTIVE CLOTHING:......** Nitrile or PVC gloves, and chemical splash goggles.

ADDITIONAL MEASURES: ...... Under normal use according to label instructions, special

protection should not be necessary. Wear eye protection if product is likely to splash.Do not place this product in an unmarked container! Keep away from children! Spilled material is

slippery.

INGREDIENT C.A.S. NUMBER PEL

| Water                              | 7732-18-5  | No limits established  |
|------------------------------------|------------|------------------------|
| 2-Butoxy Ethanol                   | 111-76-2   | 20 ppm TLV, 25 ppm PEL |
| Potassium Dodecylbenzene Sulfonate | 27177-77-1 | No limits established  |
| Tall Oil Potassium Salt            | 61790-44-1 | No limits established  |
| Sodium Xylene Sulfonate            | 1300-72-7  | No limits established  |

#### 9 - PHYSICAL / CHEMICAL PROPERITES

**APPEARANCE & ODOR: .......** Purple transparent liquid, pleasantly scented.

**ODOR THRESHOLD: .....** N/A **pH: .....** 13.2

MELTING POINT: ...... 210 degrees F.

FREEZING POINT: ..... N/A

BOILING POINT:......210 degrees F.

**BOILING POINT RANGE:.....** N/A

**FLASHPOINT:....** This prodcut is non-flammable.

EVAPORATION RATE:......N/A
FLAMMABILITY (solid/gas):.... N/A
EXPLOSION LIMITS:......N/A
VAPOR PRESSURE:......N/A

VAPOR DENSITY (AIR=1):...... Greater than 1. SPECIFIC GRAVITY:...... Greater than 1. SOLUBILITY IN WATER:..... Completely soluble.

**PARTITION COEFFICIENT: .....** N/A

AUTO-IGNITION TEMPERATURE:.....N/A

| DECOMPOSITION TEMPERATURE:N/A VISCOSITY: Water thin                              |
|--|
| 10 – STABILITY and REACTIVITY  |
| STABILITY:   |
| 11 – TOXICOLOGICAL INFORMATION   |
| ROUTE(S) OF ENTRY:   |
| *Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6) |
| 12 – ECOLOGICAL INFORMATION  |
| ENVIRONMENTAL FATE AND DISTRIBUTION: N/A   |
| 13 -DISPOSAL CONSIDERATIONS  |
| WASTE DISPOSAL: As recommended by local, state and federal authorities.          |
| 14 – TRANSPORTATION INFORMATION  |
| PROPER SHIPPING NAME: Not D.O.T. regulated. HAZARD CLASS: UN/NA NUMBER:          |

## 15 - REGULATIONS

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

#### **16 – OTHER INFORMATION**

ADDITIONAL:..... The information contained in this SDS is based on the data

available to us from sources we believe to be reliable. No warranty or guaranty expressed or implied is made regarding the accuracy of this data or the results obtained from the reliance on this data. The manufacturer assumes no responsibility for injury from the use of this product. Be safe- read this product safety information and pass it on to all persons who may be exposed to this product. Federal law requires it. This product and/or all of its components are either included on or exempt from the TSCA

Inventory of Chemical Substances.