#### 1 - PRODUCT IDENTIFICATION

**PRODUCT NAME:** ...... Green Finish- SAMPLE **PRODUCT TYPE:** ..... Liquid Acrylic Floor Finish

PRODUCT NUMBER:.....SAMPLE CONTROL NUMBER:.....SAMPLE

COMPANY: ..... Simoniz USA, Inc.

201 Boston Turnpike Bolton, CT 06043 1-800-227-5536 www.simoniz.com

EMERGENCY PHONE:.....(800) 255-3924 (CHEM-TEL)

### 2 - HAZARDS IDENTIFICATION

**CLASSIFICATION OF SUBSTANCE/MIXTURE:.....** Eye Irritation (2B)

SYMBOLS:....

SIGNAL WORD:......WARNING!

**HAZARD STATEMENT:....** Causes eye irritation.

PRECAUTIONARY STATEMENTS:

PREVENTION: ..... Wash hands thoroughly after handling.

**RESPONSE:.....** IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses if present and easy to do – continue

rinsing.

STORAGE: ...... N/A DISPOSAL: ...... N/A

# 3 - COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT C.A.S. NUMBER

Water 7732-18-5
Acrylate Copolymer 65405-63-2
Olefin-Acrylate Polymer Trade Secret\* (withheld by Manufacturer)

Tributoxy Ethyl Phosphate 78-51-3
Tripropylene Glycol Methyl Ether 25498-49-1
Dipropylene Glycol Methyl Ether 34590-94-8

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals

## 4 - FIRST-AID MEASURES

**BREATHING (INHALATION)**: ... If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention.

SWALLOWING (INGESTION):. DO NOT INDUCE VOMITING! Drink a large quantity of water or

milk. Do not attempt to give liquids to an unconscious person.

Get immediate medical attention!

EYES: ......Flush eyes with a large quantity of fresh water for at least 15

minutes. If irritation persists, consult a physician.

SKIN (DERMAL): ...... Flush from skin and clothing with large amounts of fresh water. If

irritation persists, consult physician. Wash contaminated clothing

before wearing.

#### **5 – FIRE-FIGHTING MEASURES**

**FLASHPOINT:....** This product is non-flammable.

**EXTINGUISHING MEDIA:......** This product is non-flammable. Use extinguishing media suitable

for materials already burning.

SPECIAL FIRE FIGHTING PROCEDURES: .....Firefighters working in areas where this

product is present should be equipped with an approved, fully

enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS:......None known.

## 6 - ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: ...... Dike to prevent spillage into streams or sewer systems. Consult

local, state and federal authorities.

WASTE DISPOSAL: ..... As recommended by local, state and federal authorities.

#### 7 - HANDLING and STORAGE

STORAGE: ...... Store in a cool, well ventilated area. Avoid overheating or

freezing.

contact. Spilled material is slippery.

## 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

**RESPIRATORY PROTECTION:** Not usually needed. Vapors not normally harmful.

PROTECTIVE CLOTHING:...... Special protection not usually needed. Wear eye protection if

product is likely to splash.

ADDITIONAL MEASURES: ..... Do not place this product in an unmarked container. Avoid eye

contact. Spilled material is slippery.

| INGREDIENT                       | C.A.S. NUMBER                                  | PEL                   |
|----------------------------------|--|-----------------------|
|                                  |  |                       |
| Water                            | 7732-18-5                                      | No limits established |
| Acrylate Copolymer               | 65405-63-2                                     | No limits established |
| Olefin-Acrylate Polymer          | Trade Secret*<br>(withheld by<br>Manufacturer) | 5 mg/m3 TWA           |
| Tributoxy Ethyl Phosphate        | 78-51-3  | 0.5mg/m3 TWA          |
| Tripropylene Glycol Methyl Ether | 25498-49-1                                     | No limits established |
| Dipropylene Glycol Methyl Ether  | 34590-94-8                                     | 100 ppm TWA           |

#### 9 - PHYSICAL / CHEMICAL PROPERITES

APPEARANCE & ODOR: ........ White opaque liquid. No significant odor. ODOR THRESHOLD: ..... N/A **pH:**......8.0-9.0 MELTING POINT: ...... 210 degrees F. FREEZING POINT: ..... N/A BOILING POINT:..... 210 degrees F. **BOILING POINT RANGE:.....** N/A **FLASHPOINT:....** This product is non-flammable. **EVAPORATION RATE:.....** N/A FLAMMABILITY (solid/gas):.... N/A EXPLOSION LIMITS:..... N/A VAPOR PRESSURE: ..... N/A VAPOR DENSITY (AIR=1):...... Greater than 1. **SPECIFIC GRAVITY: .....** 1.02 **SOLUBILITY IN WATER: ......** Completely soluble. **PARTITION COEFFICIENT: .....** N/A AUTO-IGNITION TEMPERATURE:.....N/A DECOMPOSITION TEMPERATURE: .....N/A VISCOSITY: ...... Water thin

## 10 - STABILITY and REACTIVITY

## 11 - TOXICOLOGICAL INFORMATION

| INGESTION:  |  |  |
|---|--|--|
| 12 – ECOLOGICAL INFORMATION   |  |  |
| ENVIRONMENTAL FATE AND DISTRIBUTION: N/A  |  |  |
| 13 -DISPOSAL CONSIDERATIONS   |  |  |
| WASTE DISPOSAL: As recommended by local, state and federal authorities.                   |  |  |
| 14 – TRANSPORTATION INFORMATION   |  |  |
| PROPER SHIPPING NAME: Not D.O.T. regulated. HAZARD CLASS: UN/NA NUMBER: PACKAGING GROUP : |  |  |
| 15 - REGULATIONS  |  |  |
| Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200  |  |  |
| 16 – OTHER INFORMATION  |  |  |
| NFPA HEALTH:  |  |  |

| ADDITIONAL: | . The information contained in this SDS is based on the data   |
|-------------|--|
|             | available to us from sources we believe to be reliable. No warranty or guaranty expressed or implied is made regarding the |
|             | accuracy of this data or the results obtained from the reliance on   |
|             | this data. The manufacturer assumes no responsibility for injury   |
|             | from the use of this product. Be safe- read this product safety  |
|             | information and pass it on to all persons who may be exposed to  |
|             | this product. Federal law requires it. This product and/or all of its  |
|             | components are either included on or exempt from the TSCA  |