1 – PRODUCT IDENTIFICATION

PRODUCT NAME: Lava Repel HD Green PRODUCT TYPE: Liquid Cationic Drying Agent PRODUCT NUMBER: L2195XXX (Last 3 characters vary with the packaging) CONTROL NUMBER: L2195XXX

2 – HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE: Skin Irritation (2) Serious Eye Damage (1)

SYMBOLS:....



 SIGNAL WORD:
 DANGER!

 HAZARD STATEMENT:
 Causes serious eye damage. Causes skin irritation.

 PRECAUTIONARY STATEMENTS:
 PREVENTION:

 Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling.

 RESPONSE:
 IF ON SKIN: Wash with plenty of water and soap. Specific treatment (see First AID Section on this label). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.

 STORAGE:
 N/A

3 – COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT Water Nonylphenoxypolyethyleneoxyethanol **C.A.S. NUMBER** 7732-18-5 9016-45-9

PAGE 1 of 5

| Dialkyl Quaternary Ammonium Chloride | 61789-77-3 |
|--------------------------------------|------------|
| Mixed Petroleum Hydrocarbons | 64741-44-2 |
| 2-Butoxy Ethanol | 111-76-2 |

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals

4 – FIRST-AID MEASURES

| BREATHING (INHALATION): . | If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention. |
|---------------------------|---|
| SWALLOWING (INGESTION): | DO NOT INDUCE VOMITING! Drink a large quantity of water or |
| | milk. Do not attempt to give liquids to an unconscious person. |
| | Get immediate medical attention! |
| EYES: | Inhalation, skin absorption, or ingestion. |
| SKIN (DERMAL): | Flush from skin and clothing with large amounts of fresh water. If |
| . , | irritation persists, consult physician. Wash contaminated clothing before wearing. |

5 – FIRE-FIGHTING MEASURES

FLASHPOINT: This product is non-flammable.

EXTINGUISHING MEDIA: Water fog or fine spray. Carbon dioxide, Dry chemical or Alcohol resistant foam.

SPECIAL FIRE FIGHTING PROCEDURES:Firefighters working in areas where this product is present should be equipped with an approved, fully enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS:.....None known.

6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: Dike to prevent spillage into streams or sewer systems. Consult local, state and federal authorities. WASTE DISPOSAL: As recommended by local, state and federal authorities.

7 – HANDLING and STORAGE

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

| RESPIRATORY PROTECTION:needed. us | Not usually needed se a NIOSH approved respira | in well-ventilated areas. If tor. |
|--|--|---|
| PROTECTIVE CLOTHING: Nitrile or P ADDITIONAL MEASURES: Under norr protection product is | VC gloves, and chemical spla mal use according to label ins should not be necessary. We likely to splash.Do not place t container! Keep away from cl | ash goggles. tructions, special ar eye protection if his product in an |
| INGREDIENT | C.A.S. NUMBER | PEL |
| Water | 7732-18-5 | No limits established |

| valei | 1152-10-5 | |
|--------------------------------------|------------|------------------------|
| Nonylphenoxypolyethyleneoxyethanol | 9016-45-9 | No limits established |
| Dialkyl Quaternary Ammonium Chloride | 61789-77-3 | No limits established |
| Mixed Petroleum Hydrocarbons | 64741-44-2 | 5 mg/m3 PEL |
| 2-Butoxy Ethanol | 111-76-2 | 20 ppm TLV, 25 ppm PEL |
| | | |

9 – PHYSICAL / CHEMICAL PROPERITES

| APPEARANCE & ODOR: Green liquid. Pleasently scented. |
|--|
| ODOR THRESHOLD: N/A |
| pH: 6.5-7.5 |
| MELTING POINT: 210 degrees F. |
| FREEZING POINT:N/A |
| BOILING POINT: 210 degrees F. |
| BOILING POINT RANGE: N/A |
| FLASHPOINT: This product is non-flammable. |
| EVAPORATION RATE:N/A |
| FLAMMABILITY (solid/gas): N/A |
| EXPLOSION LIMITS:N/A |
| VAPOR PRESSURE: N/A |
| VAPOR DENSITY (AIR=1): Greater than 1. |
| SPECIFIC GRAVITY: 0.96 |
| SOLUBILITY IN WATER: Completely soluble. |
| PARTITION COEFFICIENT: N/A |
| AUTO-IGNITION TEMPERATURE:N/A |
| DECOMPOSITION TEMPERATURE:N/A |
| VISCOSITY: Slight body |

10 – STABILITY and REACTIVITY

11 – TOXICOLOGICAL INFORMATION

*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

12 – ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: As recommended by local, state and federal authorities.

14 – TRANSPORTATION INFORMATION

PROPER SHIPPING NAME: Not D.O.T. regulated. HAZARD CLASS: UN/NA NUMBER: PACKAGING GROUP :

15 - REGULATIONS

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

16 – OTHER INFORMATION