1 - PRODUCT IDENTIFICATION

PRODUCT NAME: Lava Repel HD Yellow PRODUCT TYPE: Liquid Cationic Drying Agent

PRODUCT NUMBER:L2194XXX (Last 3 characters vary with the packaging)

CONTROL NUMBER:.....L2194XXX

COMPANY: Simoniz USA, Inc.

201 Boston Turnpike Bolton, CT 06043 1-800-227-5536

www.simoniz.com

EMERGENCY PHONE: (800) 255-3924 (CHEM-TEL)

2 - HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE: Skin Irritation (2) Serious Eye Damage (1)

SYMBOLS:....



SIGNAL WORD: DANGER!

HAZARD STATEMENT: Causes serious eye damage. Causes skin irritation.

PRECAUTIONARY STATEMENTS:

PREVENTION: Wear protective gloves/protective clothing/eye protection/face

protection. Wash hands thoroughly after handling.

RESPONSE:..... IF ON SKIN: Wash with plenty of water and soap. Specific

treatment (see First AID Section on this label). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get

medical advice/attention.

STORAGE:.....N/A
DISPOSAL:.....N/A

3 - COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT
Water
7732-18-5
Nonylphenoxypolyethyleneoxyethanol
Dialkyl Quaternary Ammonium Chloride
Mixed Petroleum Hydrocarbons
2-Butoxy Ethanol

C.A.S. NUMBER
7732-18-5
9016-45-9
61789-77-3
64741-44-2
111-76-2

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals

4 - FIRST-AID MEASURES

BREATHING (INHALATION): .. If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention.

SWALLOWING (INGESTION):. DO NOT INDUCE VOMITING! Drink a large quantity of water or

milk. Do not attempt to give liquids to an unconscious person.

Get immediate medical attention!

EYES: Inhalation, skin absorption, or ingestion.

SKIN (DERMAL): Flush from skin and clothing with large amounts of fresh water. If

irritation persists, consult physician. Wash contaminated clothing

before wearing.

5 – FIRE-FIGHTING MEASURES

FLASHPOINT: This product is non-flammable.

EXTINGUISHING MEDIA: Water fog or fine spray. Carbon dioxide, Dry chemical or Alcohol

resistant foam.

SPECIAL FIRE FIGHTING PROCEDURES:.....Firefighters working in areas where this

product is present should be equipped with an approved, fully

enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS:.....None known.

6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:...... Dike to prevent spillage into streams or sewer systems. Consult

local, state and federal authorities.

WASTE DISPOSAL: As recommended by local, state and federal authorities.

7 - HANDLING and STORAGE

STORAGE: Store in a cool, well ventilated area. Avoid overheating or

freezing.

HANDLING: Under normal use according to label instructions, special

protection should not be necessary. Wear eye protection if product is likely to splash.Do not place this product in an

PAGE 2 of 5

unmarked container! Keep away from children! Spilled material is slippery.

8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION:.....Not usually needed in well-ventilated areas. If

needed, use a NIOSH approved respirator.

PROTECTIVE CLOTHING:...... Nitrile or PVC gloves, and chemical splash goggles.

ADDITIONAL MEASURES:..... Under normal use according to label instructions, special

protection should not be necessary. Wear eye protection if product is likely to splash.Do not place this product in an unmarked container! Keep away from children! Spilled material

is slippery.

INGREDIENT C.A.S. NUMBER PEL

Water	7732-18-5	No limits established
Nonylphenoxypolyethyleneoxyethanol	9016-45-9	No limits established
Dialkyl Quaternary Ammonium Chloride	61789-77-3	No limits established
Mixed Petroleum Hydrocarbons	64741-44-2	5 mg/m3 PEL
2-Butoxy Ethanol	111-76-2	20 ppm TLV, 25 ppm PEL

9 - PHYSICAL / CHEMICAL PROPERITES

APPEARANCE & ODOR:...... Orange liquid. Lemon scented.

ODOR THRESHOLD: N/A **pH:** 6.5-7.5

MELTING POINT: 210 degrees F.

FREEZING POINT: N/A

BOILING POINT: 210 degrees F.

BOILING POINT RANGE: N/A

FLASHPOINT: This product is non-flammable.

EVAPORATION RATE: N/A
FLAMMABILITY (solid/gas): ... N/A
EXPLOSION LIMITS: N/A
VAPOR PRESSURE: N/A

VAPOR DENSITY (AIR=1): Greater than 1.

SPECIFIC GRAVITY:..... 0.96

SOLUBILITY IN WATER: Completely soluble.

PARTITION COEFFICIENT: N/A

AUTO-IGNITION TEMPERATURE:N/A
DECOMPOSITION TEMPERATURE:N/A

VISCOSITY: Slight body

10 - STABILITY and REACTIVITY

HAZARDOUS DECOMP.:..... This product not known to polymerize.

INCOMPATIBILITY:..... Do not mix with other chemicals. 11 - TOXICOLOGICAL INFORMATION **ROUTE(S) OF ENTRY:.....** Inhalation, skin absorption, or ingestion. LISTED CARCINOGEN: None over 0.1%. **MEDICAL CONDITION AGGRAVATED:**.....May aggravate pre-existing dermatitis. INHALATION: Not likely to be inhaled in hazardous amounts. Avoid exposure to mists or vapors. Maintain adequate ventilation in the work area. INGESTION: This material can cause irritation or damage to stomach and esophagus. EYES: Undiluted product will cause burns or eye irritation, or possibly permanent damage. **SKIN (DERMAL):** This product may cause irritation if not removed from the skin. Chronic overexposure may cause injury to blood, liver & kidneys. **ACUTE TOXICITY* (ORAL):.....>2000 mg/kg** ACUTE TOXICITY* (DERMAL):...>2000 mg/kg **ACUTE TOXCITY* (INHALATION):**>20,000 ppm V (Gas), >20 mg/l (Vapor), >5 mg/I (Dust) *Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6) 12 - ECOLOGICAL INFORMATION **ENVIRONMENTAL FATE AND DISTRIBUTION: N/A** 13 - DISPOSAL CONSIDERATIONS WASTE DISPOSAL: As recommended by local, state and federal authorities. 14 - TRANSPORTATION INFORMATION PROPER SHIPPING NAME: Not D.O.T. regulated. HAZARD CLASS: UN/NA NUMBER: PACKAGING GROUP:..... **15 - REGULATIONS** Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200 **16 – OTHER INFORMATION** NFPA HEALTH: 2 NFPA FLAMMABILITY:.....1