1 – PRODUCT IDENTIFICATION

 PRODUCT NAME:
 Nu Shine

 PRODUCT TYPE:
 Vehicle Polishing Compound

 PRODUCT NUMBER:
 S3294XXX (Last 3 characters vary with the packaging)

 CONTROL NUMBER:
 Si294XXX

 COMPANY:
 Simoniz USA, Inc.

 201 Boston Turnpike
 Bolton, CT 06043

 1-800-227-5536
 www.simoniz.com

EMERGENCY PHONE:..... (800) 255-3924 (CHEM-TEL)

2 – HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE:.....Skin Irritation (2) Eye Irritation (2A)

SYMBOLS:.....



 SIGNAL WORD:
 WARNING!

 HAZARD STATEMENT:
 Causes skin irritation. Causes serious eye irritation.

 PRECAUTIONARY STATEMENTS:
 PREVENTION:

 Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling.

 RESPONSE:
 IF ON SKIN: Wash with plenty of water and soap. Specific treatment (see First AID Section on this label). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.

 STORAGE:
 Store in a cool, well ventilated area. Avoid overheating or freezing.

 DISPOSAL:
 As recommended by local, state and federal authorities.

3 – COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT Water Hydrotreated Light Distillates Aluminum Silicate Polydimethylsiloxane

C.A.S. NUMBER

7732-18-5 64742-47-8 66402-68-4 63148-62-9

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals

4 – FIRST-AID MEASURES

BREATHING (INHALATION):	If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention.
SWALLOWING (INGESTION):	DO NOT INDUCE VOMITING! Drink a large quantity of water or milk. Do not attempt to give liquids to an unconscious person. Get immediate medical attention!
EYES:	Flush eyes with a large quantity of fresh water for at least 15 minutes. If irritation persists, consult a physician.
SKIN (DERMAL):	Flush from skin and clothing with large amounts of fresh water. If irritation persists, consult physician. Wash contaminated clothing before wearing.

5 – FIRE-FIGHTING MEASURES

FLASHPOINT:	->180 degrees F.	
EXTINGUISHING MEDIA:	. Water fog or fine spray. Carbon dioxide, Dry chemical or Alcohol	
	resistant foam.	
SPECIAL FIRE FIGHTING PROCEDURES:Firefighters working in areas where this		
	product is present should be equipped with an approved, fully	
	enclosed SCBA.	
UNUSUAL FIRE AND EXPLOSION HAZARDS: None known.		

6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:	Dike to prevent spillage into streams or sewer systems. Consult
	local, state and federal authorities.
WASTE DISPOSAL:	As recommended by local, state and federal authorities.

7 – HANDLING and STORAGE

STORAGE:	. Store in a cool, well ventilated area. Avoid overheating or
	freezing. Do not place this product in an unmarked container! Keep away from children! Spilled material is slippery. ATTENTION: Empty
	containers retain vapor and product residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind

or expose containers to heat, flame, sparks, static electricity or other sources of ignition. Do not reuse empty container.

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION: Not usually needed. Vapors not normally harmful. PROTECTIVE CLOTHING:...... Nitrile or PVC gloves, and chemical splash goggles. ADDITIONAL MEASURES: Do not place this product in an unmarked container! Keep away from children! Spilled material is slippery. ATTENTION: Empty containers retain vapor and product residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat, flame, sparks, static electricity or other sources of ignition. Do not reuse empty container.

INGREDIENT	C.A.S. NUMBER	PEL
Water	7732-18-5	No limits established
Hydrotreated Light Distillates	64742-47-8	500 ppm PEL
Aluminum Silicate	66402-68-4	10 mg/m3 total dust
Polydimethylsiloxane	63148-62-9	No limits established

9 – PHYSICAL / CHEMICAL PROPERITES

APPEARANCE & ODOR: Light blue cream, lemon scented. ODOR THRESHOLD: N/A **pH**:......6.0-9.0 MELTING POINT: 210 degrees F. FREEZING POINT: N/A BOILING POINT: 210 degrees F. BOILING POINT RANGE:..... N/A FLASHPOINT:.....>180 degrees F. EVAPORATION RATE: N/A FLAMMABILITY (solid/gas):.... N/A EXPLOSION LIMITS: N/A VAPOR DENSITY (AIR=1):..... Greater than 1. SPECIFIC GRAVITY: 0.96 SOLUBILITY IN WATER: Dispersible. PARTITION COEFFICIENT: N/A AUTO-IGNITION TEMPERATURE:N/A DECOMPOSITION TEMPERATURE:N/A VISCOSITY: Siginificant body

10 – STABILITY and REACTIVITY

11 – TOXICOLOGICAL INFORMATION

*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

12 – ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: As recommended by local, state and federal authorities.

14 – TRANSPORTATION INFORMATION

PROPER SHIPPING NAME:..... Not D.O.T. regulated in these container sizes. HAZARD CLASS:...... UN/NA NUMBER: PACKAGING GROUP :.....

15 - REGULATIONS

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

16 – OTHER INFORMATION

NFPA HEALTH:1 NFPA FLAMMABILITY:1 NFPA REACTIVITY:0 NFPA OTHER:None

REVISION DATE:.....11/18/2022