1 - PRODUCT IDENTIFICATION

PRODUCT NAME:.....Pre Soak Plus

PRODUCT TYPE: Alkaline liquid cleaning compound

CONTROL NUMBER: W4143XXX

COMPANY:..... Simoniz USA, Inc.

201 Boston Turnpike Bolton, CT 06043 1-800-227-5536 www.simoniz.com

EMERGENCY PHONE:1-800-255-3924 (CHEM-TEL)

2 - HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE:Skin Corrosion (1) Serious Eye Damage (1)

Specific Target Organ Toxicity, Repeated Exposure (2)

Corrosive to Metals (1)

SYMBOLS:



SIGNAL WORD: DANGER!

HAZARD STATEMENT: Causes severe skin burns and eye damage. May cause damage

to organs (Respiratory system) through prolonged or repeated

exposure. May be corrosive to metals.

PRECAUTIONARY STATEMENTS:

PREVENTION:..... Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Do not touch eyes. Wear protective

gloves / protective clothing / eye protection / face protection. Do not breathe dust / fume / gas / mist / vapors / spray. Keep only in

original packaging.

RESPONSE: Absorb spillage to prevent material-damage. Get medical help if

you feel unwell. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get emergency medical help immediately. Specific treatment (see First Aid Section). IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to

do. Continue rinsing. Get emergency medical help.

STORAGE: Store locked up. Store in a corrosion resistant container with a

resistant inner liner.

DISPOSAL:.....Dispose of container and contents in accordance with local

regulations.

3 - COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT	C.A.S. NUMBER
Water	7732-18-5
Potassium Hydroxide	1310-58-3
Dodecyldimethylamine Oxide	1643-20-5
Tetrasodium Ethylenediaminetetraacetate	64-02-8
2-Butoxyethanol	111-76-2
Cocamidopropyl Betaine	61789-40-0
Sodium 1-Octanesulfonate	5324-84-5
N,N-Dimethyltetradecylamine N-Oxide	3332-27-2
Sodium Gluconate	527-07-1

If percentages, chemical names or C.A.S. numbers of ingredients are not listed/shown, they are being withheld as trade secret information, or are not required per OSHA Hazard Communication Standard 29CFR 1910.1200. This information will be disclosed as necessary to authorized individuals.

4 - FIRST-AID MEASURES

BREATHING (INHALATION):... Maintain adequate ventilation in work area. If signs of discomfort or irritation occur, remove to fresh air. If symptoms persist or if you feel unwell, get immediate medical attention!

SWALLOWING (INGESTION):.DO NOT INDUCE VOMITING! Rinse mouth, then drink a large

quantity of water or milk. Do not attempt to give liquids to an

unconscious person. Get immediate medical attention!

EYES:Flush eyes with a large quantity of fresh water for at least 15 minutes. Apply ice compresses and get immediate emergency medical attention by an eye specialist! It may be necessary to

bring person to a hospital emergency room.

SKIN (DERMAL):......Flush from skin and clothing with large quantity of fresh water for at least 15 minutes. If burns occur or irritation persists, get immediate medical attention! Wash contaminated clothing before

euse.

5 - FIRE-FIGHTING MEASURES

FLASHPOINT: This product is non-flammable.

EXTINGUISHING MEDIA: Use extinguishing media suitable for materials already burning.

SPECIAL FIRE FIGHTING PROCEDURES:.....Firefighters working in areas where this product is present should be equipped with an approved, fully

enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None known.

6 - ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:.....Dike and absorb spillage to prevent release into streams or

sewer systems, as well as material-damage. Consult local, state

and federal authorities.

WASTE DISPOSAL:..... As recommended by local, state and federal authorities.

7 - HANDLING and STORAGE

STORAGE: Store in a cool, well-ventilated area. Avoid overheating or

freezing. Store locked up. Keep in original packaging or in a corrosion resistant container. Do NOT store this product in an

unmarked container.

HANDLING: Maintain adequate ventilation of work area. Wear eye, face and

skin protection if product is likely to splash. Avoid breathing product mist and spray. Do NOT transfer this product to an unmarked container. Spilled material is slippery. Keep away from

children!

ATTENTION: Do NOT reuse empty container. Empty containers retain vapor and product residue, which can be dangerous.

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION:Not usually needed in well-ventilated areas. If needed, use a NIOSH approved respirator.

PROTECTIVE CLOTHING:...... Nitrile or PVC gloves, chemical splash goggles, protective outerwear and boots.

ADDITIONAL MEASURES:...... Under normal use according to label instructions, special protection should not be necessary. Wear eye, face and skin

protection should not be necessary. Wear eye, face and skin protection if product is likely to splash. Keep away from children!

INGREDIENT	C.A.S. NUMBER	OSHA PEL*
Water	7732-18-5	No limits established
Potassium Hydroxide	1310-58-3	NIOSH: 2 mg/m ³
Dodecyldimethylamine Oxide	1643-20-5	No limits established
Tetrasodium Ethylenediaminetetraacetate	64-02-8	No limits established
2-Butoxyethanol	111-76-2	50 ppm, 240 mg/m ³
Cocamidopropyl Betaine	61789-40-0	No limits established
Sodium 1-Octanesulfonate	5324-84-5	No limits established
N,N-Dimethyltetradecylamine N-Oxide	3332-27-2	No limits established
Sodium Gluconate	527-07-1	No limits established

*When OSHA 8-hour TWA; STEL; and Ceiling PEL values are not established, NIOSH REL; ACGIH TLV; and AIHA WEEL values will be shown in that order, and indicated as such.

9 - PHYSICAL / CHEMICAL PROPERTIES

APPEARANCE & ODOR:	Yellow-green transparent liquid. No significant odor.
ODOR THRESHOLD:	N/A
pH:	13.2 – 14.0
MELTING POINT:	
FREEZING POINT:	
BOILING POINT:	210 degrees F.
BOILING POINT RANGE:	N/A
FLASHPOINT:	This product is non-flammable.
EVAPORATION RATE:	
FLAMMABILITY (solid/gas):	
EXPLOSION LIMITS:	
VAPOR PRESSURE:	
SPECIFIC GRAVITY:	1.06
SOLUBILITY IN WATER:	Completely soluble.
PARTITION COEFFICIENT:	
AUTO-IGNITION TEMPERATU	RE :N/A
DECOMPOSITION TEMPERAT	
VISCOSITY:	Water thin

10 - STABILITY and REACTIVITY

STABILITY:	. Stable under normal conditions.	
INCOMPATIBILITY: Do not mix with acids or other chemicals.		
HAZARDOUS DECOMPOSITION	ON:Carbon Oxides, Nitrous Oxides.	
HAZARDOUS POLYMERIZATI	ION:This product not known to polymerize.	

11 – TOXICOLOGICAL INFORMATION

ROUTE(S) OF ENTRY:	Absorption through eyes and skin. Ingestion. Inhalation.
LISTED CARCINOGEN:	None over 0.1%.
MEDICAL CONDITION AGGRA	AVATED:May aggravate preexisting dermatitis.
INHALATION:	. Undiluted product can cause irritation, burns or other damage to
	the mouth, nose and respiratory tract, if inhaled. Prolonged or
	repeated exposure to undiluted product may cause damage to
	respiratory system.
INGESTION:	. Undiluted product can cause irritation, burns or other damage to
	the mouth, esophagus and stomach, if ingested. Ingesting large
	amounts may be harmful to health.
EYES:	.Undiluted product can cause severe irritation, redness, burns,
	blindness or other permanent damage if not immediately flushed
	from eyes.
SKIN (DERMAL):	. Undiluted product can cause severe irritation, redness and burns
	if not immediately flushed from skin.
ACUTE TOXICITY* (ORAL):	>5,000 mg/kg
ACUTE TOXICITY* (DERMAL)	:>5,000 mg/kg
ACUTE TOXICITY* (INHALATI	ON): >20,000 ppm V (Gas), >20 mg/l (Vapor), >5
	mg/l (Dust)

^{*}Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

12 - ECOLOGICAL INFORMATION **ENVIRONMENTAL FATE AND DISTRIBUTION: N/A** 13 - DISPOSAL CONSIDERATIONS WASTE DISPOSAL: As recommended by local, state and federal authorities. 14 - TRANSPORTATION INFORMATION DOT PROPER SHIPPING NAME:..... Compounds, cleaning liquid (contains Potassium hydroxide) HAZARD CLASS:.....8 UN/NA NUMBER: NA 1760 PACKAGING GROUP: III IMDG: PROPER SHIPPING NAME:..... POTASSIUM HYDROXIDE SOLUTION HAZARD CLASS:.....8 **UN/NA NUMBER:** UN 1814 PACKAGING GROUP: III IATA: PROPER SHIPPING NAME:..... Potassium hydroxide solution **HAZARD CLASS:....**8 UN/NA NUMBER: UN 1814 PACKAGING GROUP: III 15 - REGULATIONS Contents of this SDS comply with OSHA Hazard Communication Standard 29CFR 1910.1200. **!** WARNING: This product can expose CALIFORNIA PROPOSITION 65:..... you to chemicals including Nitrilotriacetic Acid, Trisodium Salt Monohydrate, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov. **INGREDIENT** C.A.S. NUMBER **Listed Date** Nitrilotriacetic Acid, Trisodium Salt 04/01/1989 5064-31-3 Monohydrate (Cancer) **16 – OTHER INFORMATION NFPA HEALTH:....**3 NFPA FLAMMABILITY:.....0 NFPA REACTIVITY:0

NFPA OTHER:..... Alkali

REVISION DATE: 03/22/2024