## 1 - PRODUCT IDENTIFICATION

PRODUCT NAME: ..... Pressure Poly Glaze

PRODUCT TYPE: ..... Liquid Cationic Drying Agent

CONTROL NUMBER:..... \$3320XXX

COMPANY: ..... Simoniz USA, Inc.

201 Boston Turnpike Bolton, CT 06043 1-800-227-5536 www.simoniz.com

EMERGENCY PHONE:.....(800) 255-3924 (CHEM-TEL)

#### 2 - HAZARDS IDENTIFICATION

**CLASSIFICATION OF SUBSTANCE/MIXTURE:.....** Serious Eye Damage (1)

SYMBOLS:....



SIGNAL WORD:..... DANGER!

**HAZARD STATEMENT:....** Causes serious eye damage.

PRECAUTIONARY STATEMENTS:

PREVENTION: ...... Wear protective gloves/protective clothing/eye protection/face

protection.

**RESPONSE:**.....İF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses if present and easy to do - continue

rinsing.

STORAGE: ...... Store in a cool, well ventilated area. Avoid overheating or

freezing.

**DISPOSAL:** ..... As recommended by local, state and federal authorities.

### 3 - COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT
Water
7732-18-5
Mixed Petroleum Hydrocarbons
Dialkyl Quaternary Ammonium Chloride
2-Butoxy Ethanol

C.A.S. NUMBER
7732-18-5
64741-44-2
61789-77-3
111-76-2

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals.

#### 4 - FIRST-AID MEASURES

#### **5 – FIRE-FIGHTING MEASURES**

**FLASHPOINT:.....** This product is non-flammable. **EXTINGUISHING MEDIA:.......** Water fog or fine spray. Carbon dioxide, Dry chemical or Alcohol

resistant foam.

**SPECIAL FIRE FIGHTING PROCEDURES:** ......Firefighters working in areas where this product is present should be equipped with an approved, fully enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS:.....None known.

### **6 - ACCIDENTAL RELEASE MEASURES**

**SPILL PROCEDURES:** ...... Dike to prevent spillage into streams or sewer systems. Consult local, state and federal authorities.

**WASTE DISPOSAL:** ...... As recommended by local, state and federal authorities.

## 7 - HANDLING and STORAGE

**STORAGE:** ...... Store in a cool, well ventilated area. Avoid overheating or freezing.

protection should not be necessary. Wear eye protection if product is likely to splash. Do not place this product in an unmarked container! Keep away from children! Spilled material is

slippery.

#### 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION: Not usually needed in well-ventilated areas. If needed, use a

NIOSH approved respirator.

PROTECTIVE CLOTHING:...... Nitrile or PVC gloves, and chemical splash goggles.

ADDITIONAL MEASURES: ...... Under normal use according to label instructions, special

protection should not be necessary. Wear eye protection if product is likely to splash. Do not place this product in an

unmarked container! Keep away from children! Spilled material is

20 ppm TLV, 25 ppm PEL

slippery.

Water 7732-18-5 No limits established
Mixed Petroleum Hydrocarbons 64741-44-2 5 mg/m3 PEL

Dialkyl Quaternary Ammonium Chloride 61789-77-3 No limits established

111-76-2

#### 9 - PHYSICAL / CHEMICAL PROPERITES

APPEARANCE & ODOR: ....... Red transparent liquid, cherry scented.

ODOR THRESHOLD: ..... N/A

MELTING POINT: ...... 210 degrees F.

2-Butoxy Ethanol

FREEZING POINT: ..... N/A

**BOILING POINT:....** 210 degrees F.

**BOILING POINT RANGE:.....** N/A

**FLASHPOINT:.....** This product is non-flammable.

EVAPORATION RATE:..... N/A

FLAMMABILITY (solid/gas):.... N/A

EXPLOSION LIMITS:..... N/A

VAPOR PRESSURE: ..... N/A

VAPOR DENSITY (AIR=1):..... Greater than 1.

**SPECIFIC GRAVITY: .....** 0.982

**SOLUBILITY IN WATER: ......** Completely soluble.

PARTITION COEFFICIENT: ..... N/A

AUTO-IGNITION TEMPERATURE:.....N/A

DECOMPOSITION TEMPERATURE: .....N/A

VISCOSITY: ...... Slight body

# 10 - STABILITY and REACTIVITY **STABILITY:** ...... Stable under normal conditions. **HAZARDOUS DECOMP.:......** This product not known to polymerize. INCOMPATIBILITY: ...... Do not mix with other chemicals. 11 - TOXICOLOGICAL INFORMATION ROUTE(S) OF ENTRY:......Inhalation, skin absorption, or ingestion. LISTED CARCINOGEN: ........... None over 0.1%. Not listed by IARC, NTP or OSHA. MEDICAL CONDITION AGGRAVATED:......May aggravate pre-existing dermatitis. INHALATION:..... Not likely to be inhaled in hazardous amounts. Avoid exposure to mists or vapors. Maintain adequate ventilation in the work area. INGESTION: ...... This material can cause irritation or damage to stomach and esophagus. permanent damage. SKIN (DERMAL): ...... This product may cause irritation if not removed from the skin. Chronic overexposure may cause injury to blood, liver & kidneys. **ACUTE TOXICITY\* (ORAL):.....**>2000 mg/kg **ACUTE TOXICITY\* (DERMAL):..** >2000 mg/kg ACUTE TOXCITY\* (INHALATION):.....>20,000 ppm V (Gas), >20 mg/l (Vapor), >5 mg/I (Dust) \*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6) 12 - ECOLOGICAL INFORMATION **ENVIRONMENTAL FATE AND DISTRIBUTION: N/A** 13 - DISPOSAL CONSIDERATIONS WASTE DISPOSAL: ...... As recommended by local, state and federal authorities. 14 - TRANSPORTATION INFORMATION PROPER SHIPPING NAME:..... Not D.O.T. regulated. HAZARD CLASS:.... UN/NA NUMBER: ..... PACKAGING GROUP :.....

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

15 - REGULATIONS

### **16 – OTHER INFORMATION**

ADDITIONAL:..... The information contained in this SDS is based on the data

available to us from sources we believe to be reliable. No warranty or guaranty expressed or implied is made regarding the accuracy of this data or the results obtained from the reliance on this data. The manufacturer assumes no responsibility for injury from the use of this product. Be safe- read this product safety information and pass it on to all persons who may be exposed to this product. Federal law requires it. This product and/or all of its components are either included on or exempt from the TSCA

Inventory of Chemical Substances.