### 1 - PRODUCT IDENTIFICATION

PRODUCT NAME: ...... Quick Break w/ Ceramic PRODUCT TYPE: ..... Liquid Cationic Drying Agent

PRODUCT NUMBER: ......F1128XXX (Last 3 characters vary with the packaging)

CONTROL NUMBER: ..... F1128XXX

COMPANY:.....Simoniz USA, Inc.

201 Boston Turnpike Bolton, CT 06043 1-800-227-5536 www.simoniz.com

**EMERGENCY PHONE:** ......(800) 255-3924 (CHEM-TEL)

#### 2 - HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE: .... Serious Eye Irritation (2) Skin Irritation (2) SYMBOLS: .....



SIGNAL WORD: ...... WARNING!

HAZARD STATEMENT: .......... Causes serious eye irritation. Causes skin irritation.

PRECAUTIONARY STATEMENTS:

PREVENTION: ........... Wash hands thoroughly after handling. Do not touch eyes. Wear protective gloves / protective clothing / eye protection / face

protection.

RESPONSE: .....IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue

rinsing. If eye irritation persists: Get medical help. IF ON SKIN: Wash with plenty of water and soap. Specific treatment (see First Aid section). If skin irritation occurs: Get medical help. Take off

contaminated clothing and wash it before reuse.

**STORAGE: .....** N/A. DISPOSAL: ..... N/A.

### 3 - COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT C.A.S. NUMBER Water 7732-18-5 2-Butoxy Ethanol 111-76-2 Quaternary Ammonium Salt Not Listed

Hydrotreated (Petroleum) Distillate, middle 64742-46-7

If percentages, chemical names and/or C.A.S. numbers of ingredients are not listed/shown, they are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals.

### 4 - FIRST-AID MEASURES

BREATHING (INHALATION):... Not likely to be inhaled in hazardous amounts. If signs of discomfort or irritation occur, remove to fresh air. If symptoms persist, seek medical attention. SWALLOWING (INGESTION): . DO NOT INDUCE VOMITING! Drink a large quantity of water or milk. Do not attempt to give liquids to an unconscious person. Get immediate medical attention! EYES: ...... Flush eyes with a large quantity of fresh water for at least 15 minutes. If irritation persists, seek medical attention. SKIN (DERMAL): ...... Flush from skin and clothing with large amounts of fresh water. If irritation occurs and persists, seek medical attention. Wash contaminated clothing before reuse.

#### **5 - FIRE-FIGHTING MEASURES**

**FLASHPOINT:** ...... This product is non-flammable.

**EXTINGUISHING MEDIA:** ....... Use extinguishing media suitable for materials already burning. SPECIAL FIRE FIGHTING PROCEDURES:.....Firefighters working in areas where this product is present should be equipped with an approved, fully enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS: ..... None known.

### 6 - ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:......Dike to prevent spillage into streams or sewer systems. Consult local, state and federal authorities.

WASTE DISPOSAL: ...... As recommended by local, state and federal authorities.

#### 7 - HANDLING and STORAGE

STORAGE: ...... Store in a cool, well-ventilated area. Avoid overheating or freezing. Do NOT store this product in an unmarked container. HANDLING: ...... Wear eye protection if product is likely to splash. Do NOT transfer this product to an unmarked container. Spilled material is slippery. Keep away from children!

### **8 – EXPOSURE CONTROLS / PERSONAL PROTECTION**

**RESPIRATORY PROTECTION:**Not usually needed. Vapors not normally harmful. If needed, use a NIOSH approved respirator.

**PROTECTIVE CLOTHING:......** Nitrile or PVC gloves, and chemical splash goggles.

ADDITIONAL MEASURES: ..... Under normal use according to label instructions, special

protection should not be necessary. Wear eye protection if product is likely to splash. Keep away from children!

INGREDIENT	C.A.S. NUMBER	OSHA PEL*
Water	7732-18-5	No limits established
2-Butoxy Ethanol	111-76-2	50 ppm, 240 mg/m <sup>3</sup>
Quaternary Ammonium Salt	Not Listed	No limits established
Hydrotreated (Petroleum) Distillate, middle	64742-46-7	500 ppm, 2000 mg/m <sup>3</sup>

<sup>\*</sup>When OSHA 8-hour TWA; STEL; and Ceiling PEL values are not established, NIOSH REL and ACGIH TLV® values will be shown and indicated as such.

#### 9 - PHYSICAL / CHEMICAL PROPERTIES

**APPEARANCE & ODOR:......** Light red transparent liquid. Slight solvent odor. ODOR THRESHOLD: ..... N/A **pH:**......7.0 – 8.0 MELTING POINT:.....N/A FREEZING POINT: ..... N/A BOILING POINT: ......210 degrees F. **BOILING POINT RANGE: ......** N/A **FLASHPOINT:** ...... This product is non-flammable. **EVAPORATION RATE: .....** N/A FLAMMABILITY (solid/gas):.... N/A EXPLOSION LIMITS:.....N/A VAPOR PRESSURE:.....N/A VAPOR DENSITY (AIR=1): ..... Greater than 1. **SPECIFIC GRAVITY:....** 0.96 **SOLUBILITY IN WATER: ......** Completely soluble. **PARTITION COEFFICIENT:.....** N/A AUTO-IGNITION TEMPERATURE: ......N/A DECOMPOSITION TEMPERATURE:.....N/A VISCOSITY:......Water thin

#### 10 - STABILITY and REACTIVITY

**STABILITY:** ...... Stable under normal conditions. **HAZARDOUS DECOMP.:** ..... This product not known to polymerize. **INCOMPATIBILITY:** ..... Do not mix with other chemicals.

### 11 - TOXICOLOGICAL INFORMATION

ROUTE(S) OF ENTRY:...............Absorption through skin and eyes. Ingestion. Not likely to be inhaled in hazardous amounts.

LISTED CARCINOGEN:........None over 0.1%.

MEDICAL CONDITION AGGRAVATED:........May aggravate pre-existing dermatitis.

INHALATION:.......Inhaling significant amounts of undiluted product may eventually cause irritation to respiratory tract.

INGESTION:........Undiluted product may cause irritation to mouth, esophagus and stomach if ingested.

**SKIN (DERMAL):**......Undiluted product can cause irritation and redness to the exposed area if not flushed from skin.

ACUTE TOXICITY\* (ORAL):....>5,000 mg/kg
ACUTE TOXICITY\* (DERMAL):....>5,000 mg/kg

ACUTE TOXICITY\* (INHALATION): .....>20,000 ppm V (Gas), >20 mg/l (Vapor), >5 mg/l (Dust)

\*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

#### 12 - ECOLOGICAL INFORMATION

#### **ENVIRONMENTAL FATE AND DISTRIBUTION: N/A**

#### 13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:..... As recommended by local, state and federal authorities.

#### 14 - TRANSPORTATION INFORMATION

PROPER SHIPPING NAME:..... Not D.O.T. regulated.

HAZARD CLASS: ...... UN/NA NUMBER: ..... PACKAGING GROUP: ......

### 15 - REGULATIONS

California Proposition 65: ...... WARNING: This product can expose you to chemicals including 1,4-Dioxane, which are known to the State of California to cause cancer, and Ethylene Oxide, which are known to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

INGREDIENT	C.A.S. NUMBER	Listed Date	
Ethylene Oxide	100-41-4	07/01/1987 (Cancer) 08/07/2009 (Developmental Toxicity & Male Reproductive Toxicity) 02/27/1987 (Female Reproductive Toxicity)	
1,4-Dioxane	123-91-1	01/01/1988 (Cancer)	

Contents of this SDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

### **16 – OTHER INFORMATION**

ADDITIONAL: ...... The information contained in this SDS is based on the data

available to us from sources we believe to be reliable. No warranty or guaranty expressed or implied is made regarding the accuracy of this data or the results obtained from the reliance on this data. The manufacturer assumes no responsibility for injury from the use of this product. Be safe—read this product safety information and pass it on to all persons who may be exposed to this product. Federal law requires it. This product and/or all of its components are either included on or exempt from the TSCA

Inventory of Chemical Substances.

**REVISION DATE: .....** 12/18/2023