#### **1 – PRODUCT IDENTIFICATION**

 PRODUCT NAME:
 R<sub>X</sub> 6 Drying Agent


 PRODUCT TYPE:
 Liquid Cationic Drying Agent

 PRODUCT NUMBER:
 RX4050XXX (Last 3 characters vary with the packaging)

 CONTROL NUMBER:
 RX4050XXX

#### 2 – HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE:..... Eye Irritation (2A)



#### **3 – COMPOSITION / INFORMATION ON INGREDIENTS**

INGREDIENT Water Citric Acid Detergent Range Alcohol Ethoxylate **C.A.S. NUMBER** 7732-18-5 77-92-9 68439-46-3

PAGE 1 of 4

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals.

#### 4 – FIRST-AID MEASURES

. , ,	If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention.
SWALLOWING (INGESTION):	DO NOT INDUCE VOMITING! Drink a large quantity of water or milk. Do not attempt to give liquids to an unconscious person.
	Get immediate medical attention!
EYES:	Flush eyes with a large quantity of fresh water for at least 15 minutes. If irritation persists, consult a physician.
SKIN (DERMAL):	Flush from skin and clothing with large amounts of fresh water. If irritation persists, consult physician. Wash contaminated clothing before wearing.

#### **5 – FIRE-FIGHTING MEASURES**

#### 6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: ...... Dike to prevent spillage into streams or sewer systems. Consult local, state and federal authorities. WASTE DISPOSAL: ...... As recommended by local, state and federal authorities.

## 7 – HANDLING and STORAGE

STORAGE:	. Store in a cool, well ventilated area. Avoid overheating or
	freezing.
HANDLING:	. Do not place this product in an unmarked container. Avoid eye
	contact. Spilled material is slippery.

#### 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

**RESPIRATORY PROTECTION:** Not usually needed. Vapors not normally harmful. **PROTECTIVE CLOTHING:......** Nitrile or PVC gloves, and chemical splash goggles. **ADDITIONAL MEASURES: .....** Do not place this product in an unmarked container. Avoid eye contact. Spilled material is slippery.

#### INGREDIENT

#### C.A.S. NUMBER

PEL

Water Citric Acid Detergent Range Alcohol Ethoxylate 7732-18-5 77-92-9 68439-46-3

No limits established No limits established No limits established

#### 9 – PHYSICAL / CHEMICAL PROPERITES

MELTING POINT:	210 degrees F.
FREEZING POINT:	
BOILING POINT:	210 degrees F.
BOILING POINT RANGE:	N/A
FLASHPOINT:	This product is non-flammable.
EVAPORATION RATE:	N/A
FLAMMABILITY (solid/gas):	N/A
EXPLOSION LIMITS:	N/A
VAPOR PRESSURE:	N/A
VAPOR DENSITY (AIR=1):	Greater than 1.
SPECIFIC GRAVITY:	1.02
SOLUBILITY IN WATER:	Completely soluble.
PARTITION COEFFICIENT:	N/A
AUTO-IGNITION TEMPERATU	<b>RE:</b> N/A
<b>DECOMPOSITION TEMPERAT</b>	<b>'URE:</b> N/A
VISCOSITY:	Slight body

#### **10 – STABILITY and REACTIVITY**

#### **11 – TOXICOLOGICAL INFORMATION**

 ROUTE(S) OF ENTRY:
 Ingestion. Not likely to be inhaled in dangerous amounts.

 LISTED CARCINOGEN:
 None over 0.1%.

 MEDICAL CONDITION AGGRAVATED:
 May aggravate pre-existing dermatitis.

 INHALATION:
 Not likely to be inhaled in hazardous amounts. Maintain adequate ventilation in the work area.

 INGESTION:
 This material can cause irritation or damage to stomach and esophagus.

 EYES:
 May cause severe eye irritation or burns.

 SKIN (DERMAL):
 This product may cause burns or irritation if not removed from the skin.

 ACUTE TOXICITY\* (ORAL):
 >2000 mg/kg

ACUTE TOXCITY\* (INHALATION):.....>20,000 ppm V (Gas), >20 mg/l (Vapor), >5 mg/l (Dust)

\*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

#### 12 – ECOLOGICAL INFORMATION

#### ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

#### **13 – DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL: ..... As recommended by local, state and federal authorities.

#### **14 – TRANSPORTATION INFORMATION**

PROPER SHIPPING NAME:..... Not D.O.T. regulated. HAZARD CLASS:..... UN/NA NUMBER: ..... PACKAGING GROUP :.....

#### **15 - REGULATIONS**

# Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

#### **16 – OTHER INFORMATION**