1 – PRODUCT IDENTIFICATION

 PRODUCT NAME:
 Scrub a Dub Ultra Shine Sealer

 PRODUCT TYPE:
 Liquid Cationic Drying Agent

 PRODUCT NUMBER:
 S3852XXX (Last 3 characters vary with the packaging)

 CONTROL NUMBER:
 S3852XXX

 COMPANY:
 Simoniz USA, Inc.

 201 Boston Turnpike
 Bolton, CT 06043

 1-800-227-5536
 www.simoniz.com

EMERGENCY PHONE:..... (800) 255-3924 (CHEM-TEL)

2 – HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE: Skin Irritation (2) Serious Eye Damage (1)

SYMBOLS:....



 SIGNAL WORD:
 DANGER!

 HAZARD STATEMENT:
 Causes skin irritation. Causes serious eye damage.

 PRECAUTIONARY STATEMENTS:
 PREVENTION:

 Wash hands thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

 RESPONSE:
 IF ON SKIN: Wash with plenty of water and soap. Specific treatment (see First AID Section on this label). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. Immediately call a POISON CENTER or doctor/physician.

 STORAGE:
 Store in a cool, well ventialted area. Avoid overheating or freezing.

 DISPOSAL:
 As recommended by local, state and federal authorities.

3 – COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT Water

Cocoamidopropyl Betaine 2-Butoxy Ethanol Lauryl Dimethyl Amine Oxide C.A.S. NUMBER 7732-18-5 61789-40-0 111-76-2 1643-20-5

PAGE 1 of 5

Quaternary Ammonium Compounds

61789-77-3

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals

4 – FIRST-AID MEASURES

5 – FIRE-FIGHTING MEASURES

FLASHPOINT:..... This product is non-flammable.

EXTINGUISHING MEDIA:...... Water fog or fine spray. Carbon dioxide, Dry chemical or Alcohol resistant foam.

SPECIAL FIRE FIGHTING PROCEDURES:Firefighters working in areas where this product is present should be equipped with an approved, fully enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS:......None known.

6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: Dike to prevent spillage into streams or sewer systems. Consult local, state and federal authorities.

WASTE DISPOSAL: As recommended by local, state and federal authorities.

7 – HANDLING and STORAGE

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION:Not usually needed in well-ventilated areas. If needed, use a NIOSH approved respirator.

PAGE 2 of 5

PROTECTIVE CLOTHING:...... Nitrile or PVC gloves, and chemical splash goggles. ADDITIONAL MEASURES: Under normal use according to label instructions, special protection should not be necessary. Wear eye protection if product is likely to splash. Do not place this product in an unmarked container! Keep away from children! Spilled material is slippery.

INGREDIENT	C.A.S. NUMBER	PEL
Water	7732-18-5	No limits established
Cocoamidopropyl Betaine	61789-40-0	No limits established
2-Butoxy Ethanol	111-76-2	20 ppm TLV, 25 ppm PEL
Lauryl Dimethyl Amine Oxide Quaternary Ammonium Compounds	1643-20-5 61789-77-3	No limits established No limits established

9 – PHYSICAL / CHEMICAL PROPERITES

APPEARANCE & ODOR: Orange transparent liquid, citrus scented.
ODOR THRESHOLD:N/A
pH: 7.0-8.5
MELTING POINT:
FREEZING POINT:N/A
BOILING POINT:
BOILING POINT RANGE:N/A
FLASHPOINT: This product is non-flammable.
EVAPORATION RATE:N/A
FLAMMABILITY (solid/gas): N/A
EXPLOSION LIMITS:N/A
VAPOR PRESSURE: N/A
VAPOR DENSITY (AIR=1): Greater than 1.
SPECIFIC GRAVITY: 0.99
SOLUBILITY IN WATER: Completely soluble.
PARTITION COEFFICIENT: N/A
AUTO-IGNITION TEMPERATURE:N/A
DECOMPOSITION TEMPERATURE:N/A
VISCOSITY: Slight body

10 – STABILITY and REACTIVITY

11 – TOXICOLOGICAL INFORMATION

INHALATION:...... Not likely to be inhaled in hazardous amounts. Avoid exposure to mists or vapors. Maintain adequate ventilation in the work area.

INGESTION:...... This material can cause irritation or damage to stomach and esophagus.

EYES: Undiluted product will cause burns or eye irritation, or possibly permanent damage.

SKIN (DERMAL): This product may cause irritation if not removed from the skin. Chronic overexposure may cause injury to blood, liver & kidneys.

ACUTE TOXICITY* (ORAL):.....>2000 mg/kg

ACUTE TOXCITY* (INHALATION):.....>20,000 ppm V (Gas), >20 mg/l (Vapor), >5 mg/l (Dust)

*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

12 – ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: As recommended by local, state and federal authorities.

14 – TRANSPORTATION INFORMATION

PROPER SHIPPING NAME:..... Not D.O.T. regulated. HAZARD CLASS:..... UN/NA NUMBER: PACKAGING GROUP :.....

15 - REGULATIONS

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

16 – OTHER INFORMATION

this product. Federal law requires it. This product and/or all of its components are either included on or exempt from the TSCA Inventory of Chemical Substances.

REVISION DATE:.....12/16/2022