1 – PRODUCT IDENTIFICATION

 PRODUCT NAME:
 Shine Time

 PRODUCT TYPE:
 Solvent Based Tire Dressing

 PRODUCT NUMBER:
 B0314XXX (Last 3 characters vary with the packaging)

 CONTROL NUMBER:
 B0314XXX

 COMPANY:
 Simoniz USA, Inc.

 201 Boston Turnpike
 Bolton, CT 06043

 1-800-227-5536
 WWW.simoniz.com

 EMERGENCY PHONE:
 (800) 255-3924 (CHEM-TEL)

2 – HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE:..... Eye Irritation (2B)

SYMBOLS:....

 SIGNAL WORD:
 WARNING!

 HAZARD STATEMENT:
 Causes eye irritation.

 PRECAUTIONARY STATEMENTS:
 PREVENTION:

 Wash hands thoroughly after handling.
 Wash hands thoroughly after handling.

 RESPONSE:
 IF IN EYES: Rinse cautiously with water for several minutes.

 Remove contact lenses if present and easy to do – continue rinsing.
 If eye irritation persists get medical advice/attention.

 STORAGE:
 N/A

 DISPOSAL:
 N/A

3 – COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT Hydrotreated Light Petroleum Distillates Polydimethylsiloxane Octyl Stearate

C.A.S. NUMBER 64742-47-8 63148-62-9 22047-49-0

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals.

4 – FIRST-AID MEASURES

BREATHING (INHALATION):... If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention.

SWALLOWING (INGESTION):	. DO NOT INDUCE VOMITING! Drink a large quantity of water or
	milk. Do not attempt to give liquids to an unconscious person.
	Get immediate medical attention!
EYES:	. Flush eyes with a large quantity of fresh water for at least 15
	minutes. If irritation persists, consult a physician. Flush from skin and clothing with large amounts of fresh water. If irritation persists, consult physician. Wash contaminated clothing before wearing.

5 – FIRE-FIGHTING MEASURES

FLASHPOINT:..... This product is non-flammable.

EXTINGUISHING MEDIA:...... This product is non-flammable. Use extinguishing media suitable for materials already burning.

SPECIAL FIRE FIGHTING PROCEDURES:Firefighters working in areas where this product is present should be equipped with an approved, fully enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS:......None known.

6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: Dike to prevent spillage into streams or sewer systems. Consult local, state and federal authorities.

WASTE DISPOSAL: As recommended by local, state and federal authorities.

7 – HANDLING and STORAGE

STORAGE:	. Store in a cool, well ventilated area. Avoid overheating or
	freezing.
HANDLING:	. Under normal use according to label instructions, special protection should not be necessary. Wear eye protection if product is likely to splash.Do not place this product in an unmarked container! Keep away from children! Spilled material is slippery.

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION:Not usually needed in well-ventilated areas. If needed, use a NIOSH approved respirator.

PROTECTIVE CLOTHING:..... Nitrile or PVC gloves, and chemical splash goggles.

ADDITIONAL MEASURES: Under normal use according to label instructions, special protection should not be necessary. Wear eye protection if product is likely to splash.Do not place this product in an unmarked container! Keep away from children! Spilled material is slippery.

INGREDIENT

C.A.S. NUMBER

PEL

Hydrotreated Light Petroleum Distillates Polydimethylsiloxane Octyl Stearate 64742-47-8 63148-62-9 22047-49-0 100 ppm TWA No limits established No limits established

9 – PHYSICAL / CHEMICAL PROPERITES

APPEARANCE & ODOR: Transparent liquid, pleasantly scented. ODOR THRESHOLD: N/A pH:.....N/A **MELTING POINT:** Greater than 149 degrees F. FREEZING POINT: N/A BOILING POINT:..... Greater than 149 degrees F. BOILING POINT RANGE:..... N/A FLASHPOINT:.....>180 degrees F. EVAPORATION RATE:.....N/A FLAMMABILITY (solid/gas):.... N/A EXPLOSION LIMITS:.....N/A VAPOR DENSITY (AIR=1):..... Greater than 1. SPECIFIC GRAVITY: Less than 1. SOLUBILITY IN WATER: Insoluble. PARTITION COEFFICIENT: N/A AUTO-IGNITION TEMPERATURE:.....N/A DECOMPOSITION TEMPERATURE:N/A VISCOSITY: Slight body

10 – STABILITY and REACTIVITY

11 – TOXICOLOGICAL INFORMATION

ROUTE(S) OF ENTRY:..... Inhalation, skin absorption, or ingestion.

LISTED CARCINOGEN: None over 0.1%.

MEDICAL CONDITION AGGRAVATED:......May aggravate pre-existing dermatitis.

INHALATION:...... Not likely to be inhaled in hazardous amounts. Avoid exposure to mists or vapors. Maintain adequate ventilation in the work area.

EYES: May cause severe eye irritation.

SKIN (DERMAL): This product may cause irritation if not removed from the skin.

Prolonged exposure may cause central nervous system depression.

ACUTE TOXICITY* (ORAL):.....>2000 mg/kg

PAGE 3 of 4

ACUTE TOXCITY* (INHALATION):.....>20,000 ppm V (Gas), >20 mg/l (Vapor), >5 mg/l (Dust)

*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

12 – ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: As recommended by local, state and federal authorities.

14 – TRANSPORTATION INFORMATION

PROPER SHIPPING NAME:..... Not D.O.T. regulated in these container sizes. HAZARD CLASS:...... UN/NA NUMBER: PACKAGING GROUP :.....

15 - REGULATIONS

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

16 – OTHER INFORMATION