1 - PRODUCT IDENTIFICATION

PRODUCT NAME: Sonic Polish

PRODUCT TYPE: Acidic Liquid Cleaning Compound

PRODUCT NUMBER:F2272XXX (Last 3 characters vary with the packaging)

CONTROL NUMBER: F1172XXX

COMPANY:..... Simoniz USA, Inc.

201 Boston Turnpike Bolton, CT 06043 1-800-227-5536 www.simoniz.com

EMERGENCY PHONE:(800) 255-3924 (CHEM-TEL)

2 - HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE:Skin Corrosion (1) Serious Eye Damage (1)
Acute Toxicity, Oral (5)

SYMBOLS:



SIGNAL WORD: DANGER!

HAZARD STATEMENT: Causes severe skin burns and eye damage. May be harmful if

swallowed.

PRECAUTIONARY STATEMENTS:

PREVENTION:......Do not get in eyes, on skin, or on clothing. Wash hands

thoroughly after handling. Do not touch eyes. Wear protective gloves / protective clothing / eye protection / face protection.

RESPONSE: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get

medical help. IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get emergency medical help immediately. Specific treatment (see First Aid section). IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to

do. Continue rinsing. Get emergency medical help.

STORAGE: Store locked up.

DISPOSAL:..... Dispose of container and contents in accordance with local

regulations.

3 - COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT	C.A.S. NUMBER
Water	7732-18-5
Alkyl (C ₁₀₋₁₆) Benzenesulfonic Acid	68584-22-5
Phosphoric Acid	7664-38-2
Sodium (C ₁₄₋₁₆) Olefin Sulfonate	68439-57-6
Propylene Glycol	57-55-6

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals

4 - FIRST-AID MEASURES

5 – FIRE-FIGHTING MEASURES

FLASHPOINT: This product is non-flammable.

EXTINGUISHING MEDIA: Use extinguishing media suitable for materials already burning. **SPECIAL FIRE FIGHTING PROCEDURES:**Firefighters working in areas where this product is present should be equipped with an approved, fully

enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None known.

6 - ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:............... Dike to prevent spillage into streams or sewer systems. Consult local, state and federal authorities.

WASTE DISPOSAL: As recommended by local, state and federal authorities.

7 - HANDLING and STORAGE

unmarked or metal containers.

HANDLING: Wear eye and hand protection if product is likely to splash. Avoid

breathing product mist and spray. Do NOT transfer this product to an unmarked container. Spilled material is slippery. Keep

away from children!

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION:Not usually needed in well-ventilated areas. If needed, use a NIOSH approved respirator.

PROTECTIVE CLOTHING:...... Nitrile or PVC gloves, and chemical splash goggles.

ADDITIONAL MEASURES: Under normal use according to label instructions, special

protection should not be necessary. Wear eye and hand protection if product is likely to splash. Keep away from children!

INGREDIENT	C.A.S. NUMBER	OSHA PEL*
Water	7732-18-5	No limits established
Alkyl (C ₁₀₋₁₆) Benzenesulfonic Acid	68584-22-5	No limits established
Phosphoric Acid	7664-38-2	1 mg/m ³
Sodium (C ₁₄₋₁₆) Olefin Sulfonate	68439-57-6	No limits established
Propylene Glycol	57-55-6	No limits established

^{*}When OSHA 8-hour TWA; STEL; and Ceiling PEL values are not established, NIOSH REL and ACGIH TLV[©] values will be shown and indicated as such.

9 - PHYSICAL / CHEMICAL PROPERITES

APPEARANCE & ODOR: Light golden, transparent liquid. No significant odor.
ODOR THRESHOLD:N/A
pH: Less than 2.
MELTING POINT:N/A
FREEZING POINT: N/A
BOILING POINT:210 degrees F.
BOILING POINT RANGE: N/A
FLASHPOINT: This product is non-flammable.
EVAPORATION RATE:N/A
FLAMMABILITY (solid/gas): N/A
EXPLOSION LIMITS:N/A
VAPOR PRESSURE:N/A
VAPOR DENSITY (AIR=1): N/A
SPECIFIC GRAVITY:1.1
SOLUBILITY IN WATER: Completely soluble.
PARTITION COEFFICIENT: N/A
AUTO-IGNITION TEMPERATURE:N/A

DECOMPOSITION TEMPERATURE:.....N/A

VISCOSITY:......Water thin

PAGE 3 of 6

10 - STABILITY and REACTIVITY

STABILITY: Stable under normal conditions.

HAZARDOUS DECOMP.:..... This product not known to polymerize.

INCOMPATIBILITY:.....Ferrous metals, aluminum, zinc, magnesium, bases, other

detergents and any acid-sensitive materials.

11 - TOXICOLOGICAL INFORMATION

ROUTE(S) OF ENTRY:.... Absorption through skin and eyes. Ingestion. Inhalation.

LISTED CARCINOGEN:

IARC:

LISTED CARCINOGEN: Strong inorganic acid mists containing Sulfuric acid.

C.A.S. NUMBER:......7664-93-9

GROUP/CLASSIFICATION: 1 / Carcinogenic to Humans.

OSHA:

LISTED CARCINOGEN: Not listed.

C.A.S. NUMBER: GROUP/CLASSIFICATION:

NTP

LISTED CARCINOGEN: Strong inorganic acid mists containing Sulfuric acid.

C.A.S. NUMBER:..... 7664-93-9

GROUP/CLASSIFICATION: Known to be a human carcinogen.

MEDICAL CONDITION AGGRAVATED:......May aggravate prexisiting dermatitis and

asthma.

INHALATION:.....Inhaling significant amounts of undiluted product may cause

irritation or burns of the respiratory tract; and prolonged

exposure may lead to edema and cancer of the larynx.

INGESTION: Undiluted product may be harmful to health if ingested; and can

cause irritation, burns or damage to mouth, esophagus and

stomach if swallowed.

EYES:......Undiluted product can cause severe eye irritation, redness,

burns, blindness or other permenant damage if not immediately

flushed from eyes.

SKIN (DERMAL): Undiluted product can cause severe irritation, rendess and burns

of the affected area if not immediately flushed from skin.

ACUTE TOXICITY* (ORAL):....4,542.56 mg/kg

ACUTE TOXICITY* (DERMAL):....>5,000 mg/kg

ACUTE TOXCITY* (INHALATION):>20,000 ppm V (Gas), >20 mg/l (Vapor), >5

mg/I (Dust)

*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

12 - ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:.... As recommended by local, state and federal authorities.

14 - TRANSPORTATION INFORMATION

DOT:

HAZARD CLASS:......Compounds, cleaning liquid (contains Alkyl sulfonic acids,

Phosphoric acid)

HAZARD CLASS:.....8

UN/NA NUMBER: NA 1760

PACKAGING GROUP:.....II

IMDG CODE:

HAZARD CLASS: CORROSIVE LIQUID, N.O.S. (ALKYL SULFONIC ACIDS,

PHOSPHORIC ACID)

HAZARD CLASS:.....8

UN/NA NUMBER: UN 1760

PACKAGING GROUP:.....II

15 - REGULATIONS

California Proposition 65:...... WARNING: This product can expose you to chemicals including 1,4-Dioxane, which are known to the State of California to cause cancer, and Methanol, which are known to cause birth defects or other reproductive harm. For more information, go to

www.P65Warnings.ca.gov.

INGREDIENT	C.A.S. NUMBER	Listed Date
1,4-Dioxane	123-91-1	01/01/1988
Formaldehyde	50-00-0	01/01/1988
Methanol	67-56-1	03-16-2012
Strong inorganic acid mists containing Sulfuric Acid	N/A	03/14/2003

Contents of this SDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

16 – OTHER INFORMATION

ADDITIONAL: The information contained in this SDS is based on the data

available to us from sources we believe to be reliable. No warranty or guaranty expressed or implied is made regarding the

accuracy of this data or the results obtained from the reliance on this data. The manufacturer assumes no responsibility for injury from the use of this product. Be safe—read this product safety information and pass it on to all persons who may be exposed to this product. Federal law requires it. This product and/or all of its components are either included on or exempt from the TSCA Inventory of Chemical Substances.

REVISION DATE: 11/29/2023