1 - PRODUCT IDENTIFICATION

PRODUCT NAME: Simoniz Wheel Wax

PRODUCT TYPE: Neutral Liquid Vehicle Dressing

PRODUCT NUMBER: W0391XXX (Last 3 characters vary with the packaging)

CONTROL NUMBER: W0391XXX

COMPANY: Simoniz USA, Inc.

201 Boston Turnpike Bolton, CT 06043 1-800-227-5536 www.simoniz.com

EMERGENCY PHONE: 1-800-255-3924 (CHEM-TEL)

2 - HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE:Serious Eye irritation (2A) Skin Irritation (3) SYMBOLS:



SIGNAL WORD:..... WARNING!

HAZARD STATEMENT: Causes serious eye irritation. Causes mild skin irritation.

PRECAUTIONARY STATEMENTS:

PREVENTION: Wash hands thoroughly after handling. Do not touch eyes. Wear

eye protection / face protection.

RESPONSE: If skin irritation occurs: Get medical help. IF IN EYES: Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical help.

STORAGE:.....N/A DISPOSAL:.....N/A

3 - COMPOSITION / INFORMATION ON INGREDIENTS

 INGREDIENT
 C.A.S. NUMBER

 Water
 7732-18-5

 Cocamidopropyl betaine
 61789-40-0

(Continued on next page)

INGREDIENT

C.A.S. NUMBER

Lauramine oxide	1643-20-5	
Isostearamidopropyl ethyldimonium ethosulfate	67633-63-0	
Ethylene glycol	107-21-1	
Carnauba Wax	8015-86-9	

If percentages, chemical names or C.A.S. numbers of ingredients are not listed/shown, they are being withheld as trade secret information, or are not required per OSHA Hazard Communication Standard 29CFR 1910.1200. This information will be disclosed as necessary to authorized individuals.

4 - FIRST-AID MEASURES

SKIN (DERMAL): Flush from skin and clothing with large amounts of fresh water. If irritation occurs seek medical attention. Wash contaminated clothing before reuse.

5 – FIRE-FIGHTING MEASURES

FLASHPOINT:.... This product is non-flammable.

EXTINGUISHING MEDIA: Use extinguishing media suitable for materials already burning. **SPECIAL FIRE FIGHTING PROCEDURES:**Firefighters working in areas where this product is present should be equipped with an approved, fully

product is present should be equipped with an approved, fully enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None known.

6 - ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:..... Dike to prevent spillage into streams or sewer systems. Consult local, state and federal authorities.

WASTE DISPOSAL: As recommended by local, state and federal authorities.

7 - HANDLING and STORAGE

STORAGE:......Store in a cool, well-ventilated area. Avoid overheating or freezing. Do NOT store this product in an unmarked container.

HANDLING:Wear eye protection if product is likely to splash. Do NOT transfer this product in an unmarked container. Spilled material is slippery. Keep out of reach of children.

8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION: Not usually needed. Vapors not normally harmful. **PROTECTIVE CLOTHING:......** Nitrile or PVC gloves, and chemical splash goggles.

ADDITIONAL MEASURES:...... Under normal use according to label instructions, special

protection should not be necessary. Wear eye protection if

product is likely to splash. Keep out of reach of children.

INGREDIENT C.A.S. NUMBER OSHA PEL*

Water	7732-18-5	No limits established	
Cocamidopropyl betaine	61789-40-0	No limits established	
Lauramine oxide	1643-20-5	No limits established	
Isostearamidopropyl ethyldimonium ethosulfate	67633-63-0	No limits established	
Ethylene glycol	107-21-1	ACGIH: 25 ppm (Vapor fraction) TWA; 50 ppm (vapor fraction) (ST); 10 mg/ ³ (inhalable particulate matter, aerosol only) (ST)	
Carnauba Wax	8015-86-9	No limits established	

^{*}When OSHA 8-hour TWA; STEL (ST); and Ceiling (C) PEL values are not established, NIOSH REL; ACGIH TLV; and AIHA WEEL values will be shown in that order, and indicated as such.

9 - PHYSICAL / CHEMICAL PROPERTIES

APPEARANCE & ODOR:....... Yellow, transparent liquid with no significant odor.

BOILING POINT:...... 210 degrees F.

BOILING POINT RANGE: N/A

FLASHPOINT:...... This product is non-flammable.

VAPOR DENSITY (AIR=1): Greater than 1.

SPECIFIC GRAVITY:..... 1.00

SOLUBILITY IN WATER: Completely soluble.

PARTITION COEFFICIENT: N/A

AUTO-IGNITION TEMPERATURE:N/A
DECOMPOSITION TEMPERATURE:N/A

VISCOSITY: Water thin.

10 - STABILITY and REACTIVITY

STABILITY: Stable under normal conditions.

INCOMPATIBILITY: Do not mix with strong oxidizers/reducing agents or other

chemicals.

HAZARDOUS DECOMPOSITION:.....Carbon oxides, nitrogen oxides, sodium

oxides, sulfur oxides, silicon oxides, chlorine gas and/or chlorine

compound fumes.

HAZARDOUS POLYMERIZATION:This product is not known to polymerize.

11 - TOXICOLOGICAL INFORMATION

ROUTE(S) OF ENTRY:................ Absorption through eyes and skin. Ingestion. Not likely to be inhaled in hazardous amounts.

LISTED CARCINOGEN: There are no chemicals that comprise 0.1% or more of this

mixture and are listed and/or classified as carcinogens or potential carcinogens by NTP, IARC, OSHA (mandatory listing),

or ACGIH (optional listing).

REPRODUCTIVE TOXICITY: ... This product contains Ethylene glycol (CAS No. 107-21-1), which

has been shown to have teratogenic effects in laboratory

animals. Ethylene glycol is present in <0.2%.

MEDICAL CONDITION AGGRAVATED:May aggravate pre-existing dermatitis.

cause discomfort and irritation to the mouth, nose and

respiratory system.

INGESTION:......Undiluted product may cause discomfort and irritation to the

mouth, esophagus and stomach if ingested.

redness if not immediately flushed from eyes.

SKIN (DERMAL): Undiluted product can cause discomfort, mild irritation and

redness to the exposed area if not flushed from skin.

ACUTE TOXICITY* (ORAL):>5,000 mg/kg

ACUTE TOXICITY* (DERMAL):>5,000 mg/kg

ACUTE TOXICITY* (INHALATION):>20,000 ppm V (Gas), >20 mg/l (Vapor), >5

mg/I (Dust)

12 - ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: As recommended by local, state and federal authorities.

^{*}Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6).

14 - TRANSPORTATION INFORMATION

HAZARD CLAS UN/NA NUMBE	PING NAME: Not r SS: ER: DUP:	regulated for domest	ic shipments acc. DOT H	MR.	
HAZARD CLAS UN NUMBER:. PACKING GRO	PING NAME: Not r SS: DUP: UTANT: No	egulated for internat	ional shipments acc. IMD	G CODE	
IATA: PROPER SHIPPING NAME: Not regulated for international shipments acc. IATA DGR. HAZARD CLASS: UN NUMBER: PACKING GROUP:					
		15 - REGULATION	IS		
Contents of this SDS comply with OSHA Hazard Communication Standard 29CFR 1910.1200. CALIFORNIA PROPOSITION 65: WARNING: This product can expose you to chemicals including Ethylene glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov . INGREDIENT C.A.S. NUMBER LISTED DATE					
	Ethylene glycol (ingested)	107-21-1	01/01/1989 (Developmental Toxicity)		
16 – OTHER INFORMATION					
FLAMMABILIT REACTIVITY: .	2 Y : 0 0 None	9			
ADDITIONAL:					

information and pass it on to all persons who may be exposed to this product. Federal law requires it. This product and/or all of its components are either included on or exempt from the TSCA Inventory of Chemical Substances.