1 - PRODUCT IDENTIFICATION

CONTROL NUMBER: \$3952XXX

COMPANY:..... Simoniz USA, Inc.

201 Boston Turnpike Bolton, CT 06043 1-800-227-5536 www.simoniz.com

EMERGENCY PHONE:(800) 255-3924 (CHEM-TEL)

2 - HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE:Flammable Liquids (3) Serious Eye Irritation

(2) Skin Irritation (3)

SYMBOLS:



SIGNAL WORD: WARNING

HAZARD STATEMENT:.....Flammable liquid and vapor. Causes serious eye irritation.

Causes mild skin irritation.

PRECAUTIONARY STATEMENTS:

PREVENTION:..... Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly

closed. Ground and bond container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves / protective clothing / eye protection / face protection. Wash hands thoroughly after handling. Do not touch

eyes.

RESPONSE: In case of fire: Use Class B fire extinguisher to extinguish. IF ON

SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water or shower. If skin irritation occurs: Get medical help. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get

medical help.

STORAGE: Store in a well-ventilated place. Keep cool.

DISPOSAL:.....Dispose of container and contents in accordance with local

regulations.

3 – COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT	C.A.S. NUMBER
Water	7732-18-5
Isopropyl Alcohol	67-63-0
2-Butoxvethanol	111-76-2

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals.

4 - FIRST-AID MEASURES

BREATHING (INHALATION):	Maintain adequate ventilation in work area. If signs of discomfort or irritation occur, remove to fresh air. If symptoms persist or if you feel unwell, seek medical attention.
SWALLOWING (INGESTION):	DO NOT INDUCE VOMITING! Drink a large quantity of water or milk. Do not attempt to give liquids to an unconscious person. Get immediate medical attention!
EYES:	Flush eyes with a large quantity of fresh water for at least 15 minutes. If irritation persists, seek medical attention.
SKIN (DERMAL):	Flush from skin and clothing with large amounts of fresh water. If irritation persists, discontinue use an seek medical attention. Wash contaminated clothing before reuse.

5 – FIRE-FIGHTING MEASURES

FLASHPOINT:	.114.8 degrees F (46 degrees C).	
EXTINGUISHING MEDIA:	.Use a class B fire extinguisher of Carbon dioxide, dry chemical,	
	alcohol-resistant foam or halogenated agent types. Water fog	
	and fine water spray types can be used as a backup.	
SPECIAL FIRE FIGHTING PROCEDURES:Firefighters working in areas where this		
	product is present should be equipped with an approved, fully	
	enclosed SCBA.	
UNUSUAL FIRE AND EXPLOSION HAZARDS: None known.		
FURTHER INFORMATION:	. Product will not sustain combustion based on comparable data.	

6 - ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:	Dike to prevent spillage into streams or sewer systems. Consult
	local, state and federal authorities.
WASTE DISPOSAL.	As recommended by local state and federal authorities

7 - HANDLING and STORAGE

STORAGE:	Store in a cool, well-ventilated area. Avoid overheating or		
	freezing. Keep container tightly closed and locked up when not in		
	use. Do NOT store this product in an unmarked container.		
HANDLING:	Ground and bond all containers when handling. Use non-		
sparking tools. Maintain adequate ventilation of work area. Do			

NOT transfer this product to an unmarked container. Spilled material is slippery. Keep away from children! Do NOT reuse empty container. ATTENTION: Empty containers retain vapor and product residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat, flame, sparks, static electricity or other sources of ignition.

8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION:Not usually needed in well-ventilated areas. If needed, use a NIOSH approved respirator.

PROTECTIVE CLOTHING:...... Nitrile or PVC gloves, and chemical splash goggles.

ADDITIONAL MEASURES:...... Under normal use according to label instructions, special protection should not be necessary. Wear eye protection if

product is likely to splash. Keep away from children!

INGREDIENT	C.A.S. NUMBER	OSHA PEL*
Water	7732-18-5	No limits established
Isopropyl Alcohol	67-63-0	400 ppm, 980 mg/m ³
2-Butoxy Ethanol	111-76-2	$50 \text{ ppm}, 240 \text{ mg/m}^3$

*When OSHA 8-hour (TWA); 15-minute (STEL); and 15-minute (C) PEL values are not established, NIOSH REL or ACGIH TLV® values will be shown and indicated as such.

9 - PHYSICAL / CHEMICAL PROPERTIES

APPEARANCE & ODOR: Blue transparent liquid with a slight ammonia odor. ODOR THRESHOLD:N/A **pH:**.....9.7 – 10.7 MELTING POINT:.....N/A FREEZING POINT:.....N/A BOILING POINT:210 degrees F. **BOILING POINT RANGE:** N/A FLASHPOINT: 114.8 degrees F (46 degrees C). EVAPORATION RATE: N/A FLAMMABILITY (solid/gas):.... N/A EXPLOSION LIMITS:.....N/A VAPOR PRESSURE:.....N/A VAPOR DENSITY (AIR=1): Greater than 1. SPECIFIC GRAVITY:.....1.0 **SOLUBILITY IN WATER:** Completely soluble. PARTITION COEFFICIENT: N/A AUTO-IGNITION TEMPERATURE:.....N/A DECOMPOSITION TEMPERATURE:.....N/A VISCOSITY:.......Water thin

10 - STABILITY and REACTIVITY

STABILITY: Stable under normal conditions.

HAZARDOUS DECOMP.:.... This product not known to polymerize.

11 - TOXICOLOGICAL INFORMATION

ACUTE TOXICITY* (ORAL):....>5,000 mg/kg ACUTE TOXICITY* (DERMAL):....>5,000 mg/kg

ACUTE TOXCITY* (INHALATION):.....>20,000 ppm V (Gas), >20 mg/l (Vapor), >5 mg/l (Dust)

12 - ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:.... As recommended by local, state and federal authorities.

14 – TRANSPORTATION INFORMATION

DOT:

PROPER SHIPPING NAME:..... Not D.O.T. regulated according to 49CFR 173.150(e).

HAZARD CLASS: UN/NA NUMBER: PACKAGING GROUP:

IMDG CODE:

PROPER SHIPPING NAME:..... ISOPROPANOL SOLUTION

HAZARD CLASS:.....3

UN NUMBER:..... UN 1219

PACKAGING GROUP:II

TRANSPORT DOCUMENT DECLARATION:...... UN 1219, ISOPROPANOL SOLUTION, Class 3 PG II, (46 celsius degrees c.c.)

15 - REGULATIONS

^{*}Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

16 – OTHER INFORMATION

NFPA HEALTH:..... 1 NFPA FLAMMABILITY:.....2 NFPA REACTIVITY:.....0 NFPA OTHER:.....None

ADDITIONAL: The information contained in this SDS is based on the data available to us from sources we believe to be reliable. No warranty or guaranty expressed or implied is made regarding the accuracy of this data or the results obtained from the reliance on this data. The manufacturer assumes no responsibility for injury from the use of this product. Be safe-read this product safety information and pass it on to all persons who may be exposed to this product. Federal law requires it. This product and/or all of its components are either included on or exempt from the TSCA Inventory of Chemical Substances.

REVISION DATE: 01/23/2024