
1 – PRODUCT IDENTIFICATION

PRODUCT NAME: Steel Image Ultra Shine PRODUCT TYPE: Water Based Tire Dressing PRODUCT NUMBER: SI020XXX (Last 3 characters vary with the packaging) CONTROL NUMBER: I1680XXX

2 – HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE:..... Eye Irritation (2A)



3 – COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT

Water Polydimethylsiloxane Nonylphenoxypolyethyleneoxyethanol C.A.S. NUMBER

7732-18-5 63148-62-9 9016-45-9

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals.

PAGE 1 of 4

4 – FIRST-AID MEASURES

| BREATHING (INHALATION): | If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention. |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SWALLOWING (INGESTION): | . DO NOT INDUCE VOMITING! Drink a large quantity of water or milk. Do not attempt to give liquids to an unconscious person. Get immediate medical attention! |
| EYES: | Flush eyes with a large quantity of fresh water for at least 15 minutes. If irritation persists, consult a physician. |
| SKIN (DERMAL): | • Flush from skin and clothing with large amounts of fresh water. If irritation persists, consult physician. Wash contaminated clothing before wearing. |

5 – FIRE-FIGHTING MEASURES

6 – ACCIDENTAL RELEASE MEASURES

| SPILL PROCEDURES: | Dike to prevent spillage into streams or sewer systems. Consult |
|-------------------|-----------------------------------------------------------------|
| | local, state and federal authorities. |
| WASTE DISPOSAL | As recommended by local state and federal authorities |

VASTE DISPOSAL: As recommended by local, state and federal authorities

7 – HANDLING and STORAGE

| STORAGE: | . Store in a cool, well ventilated area. Avoid overheating or |
|-----------|-----------------------------------------------------------------|
| | freezing. |
| HANDLING: | . Do not place this product in an unmarked container. Avoid eye |
| | contact. Spilled material is slippery. |

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION: Not usually needed. Vapors not normally harmful. PROTECTIVE CLOTHING:...... Special protection not usually needed. Wear eye protection if product is likely to splash. ADDITIONAL MEASURES: Do not place this product in an unmarked container. Avoid eye contact. Spilled material is slippery.

INGREDIENT

C.A.S. NUMBER

PEL

Water Polydimethylsiloxane Nonylphenoxypolyethyleneoxyethanol 7732-18-5 63148-62-9 9016-45-9 No limits established No limits established No limits established

9 – PHYSICAL / CHEMICAL PROPERITES

APPEARANCE & ODOR: Viscous white liquid, pleasantly scented.

| | IN/A |
|---------------------------|--------------------------------|
| pH: | 7.0-8.5 |
| MELTING POINT: | 210 degrees F. |
| FREEZING POINT: | N/A |
| BOILING POINT: | 210 degrees F. |
| BOILING POINT RANGE: | N/A |
| FLASHPOINT: | This product is non-flammable. |
| EVAPORATION RATE: | N/A |
| FLAMMABILITY (solid/gas): | N/A |
| EXPLOSION LIMITS: | N/A |
| VAPOR PRESSURE: | N/A |
| VAPOR DENSITY (AIR=1): | Greater than 1. |
| SPECIFIC GRAVITY: | 1.01 |
| SOLUBILITY IN WATER: | Completely soluble. |
| PARTITION COEFFICIENT: | N/A |
| AUTO-IGNITION TEMPERATUR | RE:N/A |
| DECOMPOSITION TEMPERAT | URE:N/A |
| VISCOSITY: | Significant Body |
| | |

10 – STABILITY and REACTIVITY

11 – TOXICOLOGICAL INFORMATION

PAGE 3 of 4

ACUTE TOXCITY* (INHALATION):.....>20,000 ppm V (Gas), >20 mg/l (Vapor), >5 mg/l (Dust)

*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

12 – ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: As recommended by local, state and federal authorities.

14 – TRANSPORTATION INFORMATION

PROPER SHIPPING NAME:..... Not D.O.T. regulated. HAZARD CLASS:..... UN/NA NUMBER: PACKAGING GROUP :.....

15 - REGULATIONS

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

16 – OTHER INFORMATION