# Safety Data Sheet

# **1 – PRODUCT IDENTIFICATION**

#### 2 – HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE: .... Skin Irritation (2) Eye Irritation (2A)





 SIGNAL WORD:
 WARNING!

 HAZARD STATEMENT:
 Causes skin irritation. Causes serious eye irritation

 PRECAUTIONARY STATEMENTS:
 PREVENTION:

 Wash hands thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

 RESPONSE:
 IF ON SKIN: Wash with plenty of water and soap. Specific treatment (see First AID Section on this label). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.

 STORAGE:
 N/A

### **3 – COMPOSITION / INFORMATION ON INGREDIENTS**

#### INGREDIENT

Water Hydrotreated Light Distillates Cocoamide DEA Aluminum Silicate Polydimethylsiloxane

#### C.A.S. NUMBER

7732-18-5 64742-47-8 68603-42-9 66402-68-4 63148-62-9

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals

#### 4 – FIRST-AID MEASURES

victim shows signs of discomfort or irritation, remove to fresh . If symptoms persist, get immediate medical attention.
NOT INDUCE VOMITING! Drink a large quantity of water or
lk. Do not attempt to give liquids to an unconscious person.
et immediate medical attention!
nalation, skin absorption, or ingestion.
ush from skin and clothing with large amounts of fresh water. If tation persists, consult physician. Wash contaminated clothing fore wearing.
) t

#### **5 – FIRE-FIGHTING MEASURES**

FLASHPOINT:	.>180 degrees F.		
EXTINGUISHING MEDIA:	Water fog or fine spray. Carbon dioxide, Dry chemical or Alcohol		
	resistant foam.		
SPECIAL FIRE FIGHTING PROCEDURES:Firefighters working in areas where this			
	product is present should be equipped with an approved, fully		
	enclosed SCBA.		
UNUSUAL FIRE AND EXPLOSION HAZARDS: None known.			

### 6 - ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:	Dike to prevent spillage into streams or sewer systems. Consult
	local, state and federal authorities.
	As recommended by least, state and federal outbarities

WASTE DISPOSAL: ..... As recommended by local, state and federal authorities.

#### 7 – HANDLING and STORAGE

STORAGE:	. Store in a cool, well ventilated area. Avoid overheating or
	freezing.
HANDLING:	. Do not place this product in an unmarked container! Keep away
	from children! Spilled material is slippery. ATTENTION: Empty
	containers retain vapor and product residue and can be
	PAGE 2 of 5

# Safety Data Sheet

dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat, flame, sparks, static electricity or other sources of ignition. Do not reuse empty container.

#### **8 – EXPOSURE CONTROLS / PERSONAL PROTECTION**

RESPIRATORY PROTECTION: ......Not usually needed. Vapors not normally harmful. PROTECTIVE CLOTHING:...... Nitrile or PVC gloves, and chemical splash goggles. ADDITIONAL MEASURES:..... Do not place this product in an unmarked container! Keep away from children! Spilled material is slippery. ATTENTION: Empty containers retain vapor and product residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat, flame, sparks, static electricity or other sources of ignition. Do not reuse empty container.

INGREDIENT	C.A.S. NUMBER	PEL
Water	7732-18-5	No limits established
Hydrotreated Light Distillates	64742-47-8	500 ppm PEL
Cocoamide DEA	68603-42-9	No limits established
Aluminum Silicate	66402-68-4	10 mg/m3 total dust
Polydimethylsiloxane	63148-62-9	No limits established

#### 9 – PHYSICAL / CHEMICAL PROPERITES

ODOR THRESHOLD: ..... N/A pH:......6.5-7.5 MELTING POINT: ..... 210 degrees F. FREEZING POINT: ..... N/A BOILING POINT: ..... 210 degrees F. BOILING POINT RANGE: ...... N/A EVAPORATION RATE: ..... N/A FLAMMABILITY (solid/gas): ... N/A EXPLOSION LIMITS: ..... N/A VAPOR DENSITY (AIR=1): ..... Greater than 1. SPECIFIC GRAVITY: ...... 0.99 SOLUBILITY IN WATER: ...... Dispersible. PARTITION COEFFICIENT: ..... N/A AUTO-IGNITION TEMPERATURE: .....N/A DECOMPOSITION TEMPERATURE: .....N/A VISCOSITY: ..... Significant Body

# 10 – STABILITY and REACTIVITY

### **11 – TOXICOLOGICAL INFORMATION**

\*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

#### 12 – ECOLOGICAL INFORMATION

#### ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

#### 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: ..... As recommended by local, state and federal authorities.

#### 14 – TRANSPORTATION INFORMATION

PROPER SHIPPING NAME: .... Not D.O.T. regulated in these container sizes. HAZARD CLASS: ...... UN/NA NUMBER: ..... PACKAGING GROUP : .....

# **15 - REGULATIONS**

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

PAGE 4 of 5

# Safety Data Sheet

# **16 – OTHER INFORMATION**