1 – PRODUCT IDENTIFICATION

COMPANY:.....Simoniz USA, Inc. 201 Boston Turnpike Bolton, CT 06043 1-800-227-5536 www.simoniz.com

EMERGENCY PHONE:(800) 255-3924 (CHEM-TEL)

2 – HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE:Flammable Liquids (2) Specific Target Organ Toxicity, Single Exposure (1) Acute Toxicity, Oral (3) Acute Toxicity, Inhalation (3) Acute Toxicity, Dermal (3) Serious Eye Irritation (2) Skin Irritation (3)

SYMBOLS:



PRECAUTIONARY STATEMENTS:

RESPONSE: In case of fire: Use Class B fire extinguisher to extinguish. IF ON SKIN (or hair): Take off immediately all contaminated clothing and wash it before reuse. Wash/Rinse affected areas with plenty of water and soap or shower. Get emergency medical help

	immediately. Specific treatment (see First Aid section). IF SWALLOWED: Get emergency medical help immediately.		
	Specific treatment (see First Aid section). Rinse mouth. IF INHALED: Remove person to fresh air and keep comfortable for		
	breathing. Get emergency medical help immediately. Specific treatment (see First Aid section). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if presen- and easy to do. Continue rinsing. If eye irritation persists: Ge		
	medical help. IF exposed or concerned: Get emergency medical help immediately. Specific treatment (see First Aid section).		
STORAGE:	.Store in a well-ventilated place. Keep container tightly closed.		
DISPOSAL:	Keep cool. Store locked up. Dispose of container and contents in accordance with local regulations.		

3 – COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT

Methanol Water Sodium Lauryl Ether Sulfate Ethanol

C.A.S. NUMBER

67-56-1 7732-18-5 9004-82-4 64-17-5

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals

4 – FIRST-AID MEASURES

BREATHING (INHALATION):	Maintain adequate ventilation in work area. If signs of discomfort, irritation or exposure occur, remove to fresh air. If symptoms persist or new symptoms develop, get emergency medical attention immediately!
SWALLOWING (INGESTION):	DO NOT INDUCE VOMITING! Drink a large quantity of water or milk. Do not attempt to give liquids to an unconscious person. Get emergency medical attention immediately!
EYES:	Flush eyes with a large quantity of fresh water for at least 15 minutes. If irritation persists, get immediate medical attention!
SKIN (DERMAL):	Flush from skin and clothing with large quantity of fresh water. If irritation occurs, get immediate medical attention! Wash contaminated clothing before reuse.

5 – FIRE-FIGHTING MEASURES

SPECIAL FIRE FIGHTING PROCEDURES:.....Firefighters working in areas where this product is present should be equipped with an approved, fully enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS:Highly flammable liquid and vapor. In a fire or if heated, a pressure increase will occur which can cause the container to burst, with the risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along the ground. Vapors may accumulate in low or confined areas.

6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:......Dike to prevent spillage into streams or sewer systems. Consult local, state and federal authorities.

WASTE DISPOSAL:.....As recommended by local, state and federal authorities.

7 – HANDLING and STORAGE

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION:Not usually needed in well-ventilated areas. If needed, use a NIOSH approved respirator.

PROTECTIVE CLOTHING:..... Nitrile or PVC gloves, and chemical splash goggles.

ADDITIONAL MEASURES:...... Under normal use according to label instructions, special protection should not be necessary. Wear protective clothing and eye protection if product is likely to splash. Keep away from children!

INGREDIENT	C.A.S. NUMBER	OSHA PEL*
Methanol	67-56-1	200 ppm, 260 mg/m ³
Water	7732-18-5	No limits established
Sodium Lauryl Ether Sulfate	9004-82-4	No limits established
Ethanol	64-17-5	1000 ppm, 1900mg/m ³

*When OSHA 8-hour TWA; STEL; and Ceiling PEL values are not established, NIOSH REL and ACGIH TLV[©] values will be shown and indicated as such.

9 – PHYSICAL / CHEMICAL PROPERITES

APPEARANCE & ODOR: Red transparent liquid, with the characterisitic odor of Methanol. ODOR THRESHOLD:N/A **pH**:.....7.0 – 9.0 MELTING POINT:N/A FREEZING POINT:N/A BOILING POINT: 148 degrees F (64.44 degrees C). BOILING POINT RANGE: N/A EVAPORATION RATE:N/A FLAMMABILITY (solid/gas):.... N/A EXPLOSION LIMITS:.....N/A SPECIFIC GRAVITY:.....0.79 SOLUBILITY IN WATER: Completely soluble. PARTITION COEFFICIENT: N/A AUTO-IGNITION TEMPERATURE:N/A DECOMPOSITION TEMPERATURE:.....N/A VISCOSITY: Water thin

10 – STABILITY and REACTIVITY

11 – TOXICOLOGICAL INFORMATION

ROUTE(S) OF ENTRY:..... Inhalation. Ingestion. Absorption through skin and eyes. LISTED CARCINOGEN: None over 0.1%. MEDICAL CONDITION AGGRAVATED:May aggravate pre-existing dermatitis. INHALATION: Inhaling significant amounts of this product can cause headaches, dizziness, confusion or nausea. Prolonged exposure can cause loss of consciousness or death. INGESTION:Swallowing even small amounts of this product can cause blindness, damage to kidneys, liver and central nervous system, which may result in death. Other effects may be nausea, headache, vomiting, visual disturbances and irritation of the mouth, esophagus and stomach. EYES: This product can cause serious irritation and redness if not immediately flushed from eyes. Blindness and other permanent damage to optic nerve and eyes may occur through prolonged exposure. Damage to eyes, kidneys, liver and central nervous system can occur through prolonged exposure. ACUTE TOXICITY* (ORAL):.....166.88 mg/kg

*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

12 – ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:.....As recommended by local, state and federal authorities.

14 – TRANSPORTATION INFORMATION

DOT:

IMDG:

15 – REGULATIONS

California Proposition 65: WARNING: This product can expose you to Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

> INGREDIENT Methanol

C.A.S. NUMBER 67-56-1 Listed Date 03/16/2012

Contents of this SDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

16 – OTHER INFORMATION