1 - PRODUCT IDENTIFICATION

PRODUCT NAME: Venfing Glass Cleaner

PRODUCT TYPE: Neutral Liquid Cleaning Compound

PRODUCT NUMBER: RT4005 (Last 3 characters vary with the packaging)

CONTROL NUMBER:..... B0400XXX

COMPANY: Simoniz USA, Inc.

201 Boston Turnpike Bolton, CT 06043 1-800-227-5536

www.simoniz.com

EMERGENCY PHONE:..... (800) 255-3924 (CHEM-TEL)

2 - HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE:..... Eye Irritation (2B)

SYMBOLS:....

SIGNAL WORD:..... WARNING!

HAZARD STATEMENT:..... Causes eye irritation.

PRECAUTIONARY STATEMENTS:

PREVENTION: Wash hands thoroughly after handling.

RESPONSE:..... IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses if present and easy to do - continue

rinsing. If eye irritation persists get medical advice/attention.

STORAGE: N/A DISPOSAL: N/A

3 - COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT
Water
T732-18-5
Isopropyl Alcohol
2-Butoxy Ethanol

C.A.S. NUMBER
67-63-0
111-76-2

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals.

4 - FIRST-AID MEASURES

BREATHING (INHALATION): ... If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention.

SWALLOWING (INGESTION):. DO NOT INDUCE VOMITING! Drink a large quantity of water or

milk. Do not attempt to give liquids to an unconscious person.

Get immediate medical attention!

EYES:Flush eyes with a large quantity of fresh water for at least 15

minutes. If irritation persists, consult a physician.

SKIN (DERMAL): Flush from skin and clothing with large amounts of fresh water. If

irritation persists, consult physician. Wash contaminated clothing

before wearing.

5 - FIRE-FIGHTING MEASURES

FLASHPOINT:..... Greater than 150 degrees F.

EXTINGUISHING MEDIA:....... Water fog or fine spray. Carbon dioxide, Dry chemical or Alcohol

resistant foam.

SPECIAL FIRE FIGHTING PROCEDURES:Firefighters working in areas where this

product is present should be equipped with an approved, fully

enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS:......None known.

6 - ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: Dike to prevent spillage into streams or sewer systems. Consult

local, state and federal authorities.

WASTE DISPOSAL: As recommended by local, state and federal authorities.

7 - HANDLING and STORAGE

STORAGE: Store in a cool, well ventilated area. Avoid overheating or

freezing.

protection should not be necessary. Wear eye protection if product is likely to splash.Do not place this product in an unmarked container! Keep away from children! Spilled material is

slippery.

8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION: Not usually needed in well-ventilated areas. If needed, use a

NIOSH approved respirator.

PROTECTIVE CLOTHING:...... Nitrile or PVC gloves, and chemical splash goggles.

ADDITIONAL MEASURES: Under normal use according to label instructions, special

protection should not be necessary. Wear eye protection if product is likely to splash.Do not place this product in an

unmarked container! Keep away from children! Spilled material is slippery.

PEL

Water	7732-18-5	No limits established

C.A.S. NUMBER

Isopropyl Alcohol 67-63-0 400 ppm, 500 ppm STEL 2-Butoxy Ethanol 111-76-2 20 ppm TLV, 25 ppm PEL

9 - PHYSICAL / CHEMICAL PROPERITES

APPEARANCE & ODOR: Blue transparent liquid, slight solvent odor.

ODOR THRESHOLD: N/A **pH:** 6.0-7.0

MELTING POINT: 210 degrees F.

INGREDIENT

FREEZING POINT: N/A

BOILING POINT:..... 210 degrees F.

BOILING POINT RANGE:..... N/A

FLASHPOINT:..... Greater than 150 degrees F.

EVAPORATION RATE:......N/A
FLAMMABILITY (solid/gas):.... N/A
EXPLOSION LIMITS:.....N/A
VAPOR PRESSURE:.....N/A

VAPOR DENSITY (AIR=1):..... Greater than 1. SPECIFIC GRAVITY:..... Less than 1.

SOLUBILITY IN WATER: Completely soluble.

PARTITION COEFFICIENT: N/A

AUTO-IGNITION TEMPERATURE:N/A
DECOMPOSITION TEMPERATURE:N/A

VISCOSITY: Water thin

10 - STABILITY and REACTIVITY

STABILITY: Stable under normal conditions. **HAZARDOUS DECOMP.:** This product not known to polymerize.

INCOMPATIBILITY: Avoid strong oxidizers. Avoid heat, sparks or open flames.

11 - TOXICOLOGICAL INFORMATION

ROUTE(S) OF ENTRY:......Inhalation, skin absorption, or ingestion.

LISTED CARCINOGEN: None over 0.1%.

MEDICAL CONDITION AGGRAVATED:......May aggravate pre-existing dermatitis.

and/or nausea. Maintain adequate ventilation in the work area.

INGESTION: This material can cause irritation or damage to stomach and

esophagus.

EYES: May cause eye irritation.

SKIN (DERMAL): This product may cause irritation or redness of the skin.

	·	
ACUTE TOXICITY* (DERMAL):	>2000 mg/kg :>2000 mg/kg DN) :>20,000 ppm V (Gas), >20 mg/l (Vapor), >5	
*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)		
12 – ECOLOGICAL INFORMATION		
ENVIRONMENTAL FATE AND	DISTRIBUTION: N/A	
1:	3 -DISPOSAL CONSIDERATIONS	
WASTE DISPOSAL:	. As recommended by local, state and federal authorities.	
14 – TRANSPORTATION INFORMATION		
PROPER SHIPPING NAME: HAZARD CLASS:UN/NA NUMBER:PACKAGING GROUP :	·	
15 - REGULATIONS		
Contents of this MSDS comply v	with the OSHA Hazard Communication Standard 29CFR 1910.1200	
	16 – OTHER INFORMATION	
NFPA HEALTH:NFPA FLAMMABILITY:NFPA REACTIVITY:NFPA OTHER:	. 1 . 0	
ADDITIONAL:	The information contained in this SDS is based on the data available to us from sources we believe to be reliable. No warranty or guaranty expressed or implied is made regarding the accuracy of this data or the results obtained from the reliance on this data. The manufacturer assumes no responsibility for injury from the use of this product. Be safe- read this product safety information and pass it on to all persons who may be exposed to this product. Federal law requires it. This product and/or all of its components are either included on or exempt from the TSCA	

Inventory of Chemical Substances.