1 – PRODUCT IDENTIFICATION

2 – HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE: Eye Irritation (2B)

SYMBOLS:....

 SIGNAL WORD:
 WARNING!

 HAZARD STATEMENT:
 Causes eye irritation.

 PRECAUTIONARY STATEMENTS:
 PREVENTION:

 Wash hands thoroughly after handling.
 RESPONSE:

 IF IN EYES: Rinse cautiously with water for several minutes.

 Remove contact lenses if present and easy to do – continue rinsing.

 If eye irritation persists get medical advice/attention.

 STORAGE:
 N/A

3 – COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT Water Polydimethylsiloxane **C.A.S. NUMBER** 7732-18-5 63148-62-9

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals

4 – FIRST-AID MEASURES

BREATHING (INHALATION):	If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention.
SWALLOWING (INGESTION):	DO NOT INDUCE VOMITING! Drink a large quantity of water or milk. Do not attempt to give liquids to an unconscious person. Get immediate medical attention!
EYES:	. Flush eyes with a large quantity of fresh water for at least 15
SKIN (DERMAL):	minutes. If irritation persists, consult a physician. Flush from skin and clothing with large amounts of fresh water. If irritation persists, consult physician. Wash contaminated clothing before wearing.

5 – FIRE-FIGHTING MEASURES

UNUSUAL FIRE AND EXPLOSION HAZARDS:......None known.

6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: Dike to prevent spillage into streams or sewer systems. Consult local, state and federal authorities. WASTE DISPOSAL: As recommended by local, state and federal authorities.

7 – HANDLING and STORAGE

STORAGE:	. Store in a cool, well ventilated area. Avoid overheating or
	freezing.
HANDLING:	Do not place this product in an unmarked container. Avoid eye
	contact. Spilled material is slippery.

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION: Not usually needed. Vapors not normally harmful. PROTECTIVE CLOTHING:...... Special protection not usually needed. Wear eye protection if product is likely to splash. ADDITIONAL MEASURES: Do not place this product in an unmarked container. Avoid eye contact. Spilled material is slippery.

INGREDIENT	C.A.S. NUMBER	PEL
Water	7732-18-5	No limits established

PAGE 2 of 4

Polydimethylsiloxane

63148-62-9

No limits established

9 – PHYSICAL / CHEMICAL PROPERITES

APPEARANCE & ODOR: Opaque blue liquid, pleasantly scented. ODOR THRESHOLD: N/A MELTING POINT: 210 degrees F. FREEZING POINT: N/A BOILING POINT: 210 degrees F. BOILING POINT RANGE:..... N/A EVAPORATION RATE: N/A FLAMMABILITY (solid/gas):.... N/A EXPLOSION LIMITS: N/A VAPOR PRESSURE: N/A VAPOR DENSITY (AIR=1):..... Greater than 1. SPECIFIC GRAVITY: 1.00 SOLUBILITY IN WATER: Completely soluble. PARTITION COEFFICIENT: N/A AUTO-IGNITION TEMPERATURE:.....N/A DECOMPOSITION TEMPERATURE:N/A VISCOSITY: Water thin

10 – STABILITY and REACTIVITY

11 – TOXICOLOGICAL INFORMATION

mg/l (Dust)

*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

12 – ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: As recommended by local, state and federal authorities.

14 – TRANSPORTATION INFORMATION

PROPER SHIPPING NAME:..... Not D.O.T. regulated. HAZARD CLASS:..... UN/NA NUMBER: PACKAGING GROUP :.....

15 - REGULATIONS

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

16 – OTHER INFORMATION