SAFETY DATA SHEET

1. Identification

· . · · .

Product identifier	∨ision Blade	
Other means of identification		
SDS number	01-M	
Product code	∨B1000	
- <u>1</u> k		
Recommended use	Rain/water repellant treatment for	or glass surfaces,
Recommended restrictions	None known.	
Manufacturer/Importer/Supplie	r/Distributor information	
Company name Address	Simoniz USA, Inc. 201 Boston Turnpike Bolton, CT 06043 US	
Telephone	1-800-227-5536	
	÷	
Emergency phone number	+1-(800) 255-3924 (CHEM-TEL)	

2. Hazard(s) Identification

Physical hazards	Not classified.	5 v.
Health hazards	Skin corrosion/irritation	Category 2
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
	Aspiration hazard	Category 1
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2
	Hazardous to the aquatic environment, long-term hazard	Category 2
OSHA defined hazards	Not classified.	
Label elements		
Signal word Hazard statement	Danger Causes skin irritation May cause drowsiness	or dizziness. May be fatal if swallowed and enters
		or diazinona. May be fotal if awall-word and onlara
	airways. Toxic to aquatic life with long lasting	
Precautionary statement	(1) C.S. (19) 165 1 (F) (19)	Sec. 7
Prevention	Wear protective gloves/protective clothing/eye vapor. Use only outdoors or in a well-ventilated release to the environment.	protection/face protection. Avoid breathing mist or d area. Wash thoroughly after handling. Avoid
Response	with plenty of water. If skin irritation occurs: Ge	/doctor. Do NOT induce vomiting. If on skin: Wash et medical advice/attention. Take off contaminated Remove person to fresh air and keep comfortable for el unwell. Collect spillage.
Storage	Store in a well-ventilated place. Keep contained	r tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance v	vith local/regional/national/international regulations.
Aquapel® Glass Treatment		SDS US
5057 Manual de Od Devision de	ter - Issue date: 06.Ephruary_2015	17.

5257 Version #: 01 Revision date: - Issue date: 06-February-2015

9) x

3. Composition/information on ingredients

Mixtures		
Chemical name	CAS number %	
Distillates (petroleum), hydrotreated light	64742-47-8 60-100	
Composition comments	All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.	
4. First-aid measures		
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing give artificial respiration or give oxygen by trained personnel.	
Skin contact	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothin and shoes. Use soap if available. Get medical attention if irritation develops or persists. Wash clothing separately before reuse.	
Eye contact	Immediately flush with plenty of water for up to 15 minutes, Remove any contact lenses and op eyelids wide apart. Get medical attention if any discomfort continues.	
Ingestion	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth thoroughly. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs Never give anything by mouth to a victim who is unconscious or is having convulsions. Do not induce vomiting without advice from poison control center.	
Most important symptoms/effe cts, acute and delayed	Vapors may cause nausea, headache and/or dizziness. Symptoms include itching, burning, redness, and tearing of eyes. Prolonged or repeated contact may dry skin and cause irritation. aware that symptoms of lung edema (shortness of breath) may develop up to 24 hours after exposure.	
Indication of immediate medical attention and special treatment needed	Treat symptomatically.	
General information	Keep victim warm. Ensure that medical personnel are aware of the material(s) involved, and tal precautions to protect themselves.	
5. Fire-fighting measures		
Suitable extinguishing media	Foam. Dry powder. Carbon dioxide (CO2). Water Spray or Fog.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arlsing from the chemical	During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Fire fighting equipment/instructions	Use water spray to cool unopened containers. Move containers from fire area if you can do so without risk.	
General fire hazards	This product is not flammable or combustible. Will burn if involved in a fire.	
6. Accidental release mea	sures	
Personal proceptions	Keen unnecessary percennel away Extinguish all ignition sources. Avoid sparks flames heat	

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spitled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. Keep out of low areas.

•	
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills in original containers for re-use.
Environmental precautions	Do not contaminate water.
7. Handling and storage	
Precautions for safe handling	Wear protective clothing as described in Section 8 of this safety data sheet. Avoid breathing mists or vapors, Avoid contact with skin and eyes. Do not taste or swallow. Do not eat, drink or smoke when using the product. Use only with adequate ventilation. In case of inadequate ventilation, use respiratory protection. Wash thoroughly after handling. Eliminate all sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in a well-ventilated place. Store in a cool place. Keep away from heat/sparks/open flames/hot surfaces No smoking. Store in accordance with local/regional/national/international regulation. Keep only in the original container in a cool, well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep away from food, drink and animal feedingstuffs. Do not store in open or unlabelled containers. Keep out of the reach of children. Protect from direct sunlight.

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value
Distillates (petroleum), hydrotreated light (CAS 64742-47-8)	TWA	100 mg/m3
Biological limit values	No biological exposure limits noted f	or the ingredient(s).
Appropriate engineering controls		vide adequate general and local exhaust ventilation. Observe inimize the risk of inhalation of vapors. Provide eyewash
Individual protection measures	s, such as personal protective equipn	nent
Eye/face protection	Wear safety glasses with side shield	s (or goggles).
Skin protection		
Hand protection		s are recommended, but be aware that the liquid may ge is advisable. Suitable gloves can be recommended by the
Other	Wear suitable protective clothing. Fu volumes or in emergency situations.	Il body suit and boots are recommended when handling large
Respiratory protection	limits (where applicable) or to an acc been established), an approved resp purifying respirator as needed to con determine respirator selection, use, a for uncontrolled releases or when air	in airborne concentrations below recommended exposure eptable level (in countries where exposure limits have not irator must be worn. Use a NIOSH/MSHA approved air itrol exposure. Consult with respirator manufacturer to and limitations. Use positive pressure, air-supplied respirator purifying respirator limitations may be exceeded. Follow ments (OSHA 1910.134 and ANSI Z88.2) for all respirator
Thennal hazares	Wear appropriate thermal protective	clothing, when necessary,
General hygiene considerations		h skin. Do not get this material on clothing. When using, do from food and drink, Handle in accordance with good industrial

9. Physical and chemical properties

Appearance

	1 invited
Physical state	Liquid.
Form	Liquid. Coloriess.
Color	14 C
Odor	Hydrocarbon-like.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	-106.6 °F (-77 °C)
Initial boiling point and boiling range	424.4 - 494.6 °F (218 - 257 °C)
Flash point	> 201.2 °F (> 94.0 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	0.6
Flammability limit - upper (%)	4.9
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available,
Vapor density	Not available.
Relative density	0.791 @ 15.6 °C (60.08 °F)
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	No data available.
Auto-ignition temperature	> 392 °F (> 200 °C)
Decomposition temperature	Not available.
Viscosity	Not available.
10. Stability and reactivity	
io. Graninty and reactivity	

i of the second	
Reactivity	The product is stable and non reactive under normal conditions of storage and transport.
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials. Avoid high temperatures. Protect against direct sunlight.
Incompatible materials	Strong oxidizers, strong acids, and strong bases.
Hazardous decomposition produc ts	Carbon oxides. Hydrogen chloride.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Vapors may irritate throat and respiratory system and cause coughing. In high concentrations, vapors are narcotic and may cause headache, fatigue, dizziness and nausea.
Skin contact	Causes skin irritation.
Eyecontact	Direct contact with eyes may cause temporary irritation.
Ingestion	May be fatal if swallowed and enters airways. Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.
Symptoms related to the physical, chemical and toxicological characteristics	Vapors may cause drowsiness and dizziness. Symptoms include itching, burning, redness, and tearing of eyes. Be aware that symptoms of chemical pneumonia (shortness of breath) may occur several hours after exposure.
information on toxicological effects	
Acute toxicity	Vapors may cause drowsiness and dizziness.

Revision date: - Issue date: 08-February-2015

Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.
Respiratory or skin sensitization	
Respiratory sensitization	Based on available data, the classification criteria are not met.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
OSHA Specifically Regulated Not listed.	I Substances (29 CFR 1910.1001-1050)
Reproductive toxicity	Contains no ingredient listed as toxic to reproduction.
Specific target organ toxicity - single exposure	May cause drowsiness or dizziness.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	May be fatal if swallowed and enters airways.
Chronic effects	Organic solvents may be absorbed into the body by inhalation and cause permanent damage to the nervous system, including the brain. May cause central nervous system disorder (e.g., narcosis involving a loss of coordination, weakness, fatigue) and/or damage.

12. Ecological information

· `

Ecotoxicity	Toxic to aquatic life with long lasting effects.
Persistence and degradability	The product is not expected to be readily biodegradable.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Mobility in general	The product is insoluble in water. The product contains organic solvents which will evaporate easily from all surfaces.
Other adverse effects	The product contains a substance which has a photochemical ozone creation potential.

13. Disposal considerations

Disposal instructions	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazardous waste code	Not regulated.
Waste from residues / unused products	Dispose of in accordance with local regulations.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Residual vapors may explode on ignition; do not cut, drill, grind, or weld on or near this container.

14. Transport information

UN number UN3082 UN proper shipping name Environmentally hazardous substances, liquid, n.o.s. (DISTILLATES (PETROLEUM), HYDROTREATED LIGHT) Transport hazard class(es) Glass 9 Class 9 Subsidiary risk - Label(s) 9 Packing group III Environmental hazards Marine pollutant Yes Special precautions for user Read safety instructions, SDS and emergency procedures before handling.	DOT	
HYDROTREATED LIGHT) Transport hazard class(es) Class 9 Subsidiary risk - Label(s) 9 Packing group III Environmental hazards Marine pollutant Yes Special precautions for user Read safety instructions, SDS and emergency procedures before handling.	UN number	UN3082
Class 9 Subsidiary risk - Label(s) 9 Packing group III Environmental hazards Yes Special precautions for user Read safety instructions, SDS and emergency procedures before handling.		
Subsidiary risk - Label(s) 9 Packing group III Environmental hazards Marine pollutant Yes Special precautions for user Read safety instructions, SDS and emergency procedures before handling.	Transport hazard class(es)	
Label(s) 9 Packing group III Environmental hazards Marine pollutant Yes Special precautions for user Read safety instructions, SDS and emergency procedures before handling.	Class	9
Packing group III Environmental hazards Marine pollutant Yes Special precautions for user Read safety instructions, SDS and emergency procedures before handling.	Subsidiary risk	-
Environmental hazards Marine pollutant Yes Special precautions for user Read safety instructions, SDS and emergency procedures before handling.	Label(s)	9
Marine pollutant Yes Special precautions for user Read safety instructions, SDS and emergency procedures before handling.	Packing group	#
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.	Environmental hazards	
	Marine pollutant	Yes
0 440 470 COS 100 TA TOO	Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions 8, 146, 173, 335, 183, 14, 171, 1729	Special provisions	8, 146, 173, 335, IB3, T4, TP1, TP29
Packaging exceptions 155	Packaging exceptions	155
Packaging non bulk 203	Packaging non bulk	203
Packaging bulk 241	Packaging bulk	241

IATA		
UN number	UN3082	
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (DISTILLATES (PETROLEUM), HYDROTREATED LIGHT)	
Transport hazard class(es)		
Class	9	
Subsidiary risk	-	
Label(s)	9	
Packing group		
Environmental hazards	Yes	
ERG Code	91.	
	Read safety instructions, SDS and emergency procedures before handling.	
IMDG		
UN number	UN3082	
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DISTILLATES (PETROLEUM), HYDROTREATED LIGHT)	
Transport hazard class(es)	(, , , , , , , , , , , , , , , , ,	
Class	9	
Subsidiary risk	-	
Label(s)	9	
Packing group		
Environmental hazards		
Marine pollutant	Yes	
EmS	F-A, S-F	
•	Read safety instructions, SDS and emergency procedures before handling.	
Transport in bulk according to	This substance/mixture is not intended to be transported in bulk.	
Annex II of MARPOL 73/78 and		
the IBC Code		
General information	The product is eligible for Limited Quantity exemption because its unit size meets the relevant thresholds. It may be eligible for Excepted Quantity exemption, dependant on quantity of units within the outer package.	
15. Regulatory information		
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)		
Not regulated. OSHA Specifically Regulated Not listed.	Substances (29 CFR 1910.1001-1050)	
CERCLA Hazardous Substance List (40 CFR 302.4)		
Not listed.		
Superfund Amendments and Rea	• •	
Hazard categories	immediate Hazard - Yes Delayed Hazard - No	
	Fire Hazard - Yes	
	Pressure Hazard - No	
	Reactivity Hazard - No	
SARA 302 Extremely hazarde	ous substance	
Not listed.		
SARA 311/312 Hazardous	Yes	
chemical		
SARA 313 (TRI reporting)		
Not regulated.		
-		
Other federal regulations		
Clean Air Act (CAA) Section 112 Hazardous Air Poilutanis (HAPs) List		
Not cogulated		

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

- US state regulations
 - US. Massachusetts RTK Substance List
 - Distillates (petroleum), hydrotreated light (CAS 64742-47-8) US. New Jersey Worker and Community Right-to-Know Act
 - Distillates (petroleum), hydrotreated light (CAS 64742-47-8) US. Pennsylvania Worker and Community Right-to-Know Law
 - Distillates (petroleum), hydrotreated light (CAS 64742-47-8)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65 Not Listed.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	06-February-2015	
Revision date		
Version #	01	
Further information	HMIS® is a registered trade and service mark of the NPCA. G - Safety Glasses, Gloves, Vapor Respirator	
HMIS® ratings	Health: 2 Flammability: 1 Physical hazard: 0 Personal protection: G	
NFPA ratings	2 0	
References	ACGIH	
Disclaimer	The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by Simoniz, and to recommend precautionary measures for the storage and handling of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.	